



## XRT® (Model 78086-4) Parts List

Parts shown in bold are optional accessories. Part categories and individual part listings are arranged alphabetically.

### Bearings & Bushings

5106A	Ball bearing, black rubber sealed (15x24x5mm) (2)
5108A	Ball Bearing, black rubber sealed (15x26x5) (2)
5107A	Ball Bearing, black rubber sealed (17x26x5) (2)
5196A	Ball bearing, black rubber sealed (20x32x7mm) (2)
<b>5196X</b>	<b>Ball bearing, black rubber sealed, stainless (20x32x7mm) (2)</b>
5120A	Ball bearings, black rubber sealed (12x18x4mm) (2)
5180A	Ball bearings, black rubber sealed (6x13x5mm) (2)
5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5124	Ball bearings, blue rubber sealed (4x7x2.5mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)

### Body & Accessories

7825	Body mounts, front
7815	Body mounts, front & rear
7826	Body mounts, rear
7813	Body support (includes front mount & rear latch, roof & hood skid pads)/ 3x12mm CS (19) (attaches to #7812 body)
<b>7812</b>	<b>Body, XRT® (clear, requires painting)/ window masks/ decal sheet</b>
7840	Body, XRT®, black (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812A	Body, XRT®, blue (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812G	Body, XRT®, green (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
7812T	Body, XRT®, orange (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
<b>7812X</b>	<b>Body, XRT®, ProGraphix® (graphics are printed, requires paint &amp; final color application)/ decal sheet</b>
7812R	Body, XRT®, red (painted, decals applied) (assembled with front & rear body supports for clipless mounting, roof & hood skid pads)
<b>7899</b>	<b>Body, XRT®, Rock n' Roll (painted, decals applied) (assembled with front &amp; rear body supports for clipless mounting, roof &amp; hood skid pads)</b>
<b>7898</b>	<b>Body, XRT®, Solar Flare (painted, decals applied) (assembled with front &amp; rear body supports for clipless mounting, roof &amp; hood skid pads)</b>
7823	Latch, body mount, front (for clipless body mounting)/ 3x12mm CS (6) (attaches to #7812 body)
7824	Latch, body mount, rear (for clipless body mounting)/ 3x12mm CS (4) (attaches to #7812 body)
7814	Skid pads (hood scoop)/ mount/ 3x12mm CS (11) (attaches to #7812 body)
7816	Skid pads (roof)/ 3x12mm CS (8) (attaches to #7812 body)

### Bumpers & Skidplates

7834	Bumper mount, rear
7835	Bumper, front/ bumper mount, front
7837	Skid plate, center
7844	Skid plate, front (1), rear (1)/ rubber impact cushion (1)

### Chassis & Attachments

7833	Battery hold-down mounts, left (2)/ right (2)/ 4x15mm CCS (4)
7819	Battery hold-down/ battery compartment spacers/ foam pads
7825	Body mounts, front
7815	Body mounts, front & rear
7826	Body mounts, rear
7724	Box, receiver (sealed)/ wire cover/ foam pads/ silicone grease/ 3x15 CS (4)
7834	Bumper mount, rear
7835	Bumper, front/ bumper mount, front
7822	Chassis
<b>7819X</b>	<b>Foam pads, battery compartment</b>
7723	Nerf bars, chassis (2)
7725	Seal kit, receiver box (includes o-ring, seals, and silicone grease)
7820	Servo mount/ bulkhead cover/ chassis brace/ steering cover/ 3x12mm CS (2)/ 3x8mm CS (2)
7837	Skid plate, center
7844	Skid plate, front (1), rear (1)/ rubber impact cushion (1)
<b>7799</b>	<b>Tires, rubber (2) (fits Traxxas® #7775X wheelie bar wheels)</b>
7776	Wheelie bar, black (assembled)
7775	Wheels, wheelie bar (2)/ axles, wheelie bar (2)/ 10x15x4 plastic bushings (4) (for #7776, 8976, or 9576 wheelie bar)
<b>7775X</b>	<b>Wheels, wheelie bar, 6061-T6 aluminum (blue-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)</b>

7775A	Wheels, wheelie bar, 6061-T6 aluminum (dark titanium-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775G	Wheels, wheelie bar, 6061-T6 aluminum (green-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775T	Wheels, wheelie bar, 6061-T6 aluminum (orange-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7775R	Wheels, wheelie bar, 6061-T6 aluminum (red-anodized) (2)/ axle, wheelie bar, 6061-T6 aluminum (2)/ 10x15x4 ball bearings (4)
7818	Wing mount
7821X	Wing, blue/ 4x12mm FCS (4)
7821T	Wing, orange/ 4x12mm FCS (4)
7821R	Wing, red/ 4x12mm FCS (4)
7821	Wing/ 4x12mm FCS (4)

### Cush Drive Components

7794	Cush drive key/ pin/ elastomer damper
7793X	Housing, cush drive (front & rear halves)
<b>6442</b>	<b>Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)</b>
6447R	Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
<b>6443</b>	<b>Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)</b>
6448R	Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
<b>6444</b>	<b>Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)</b>
<b>6449X</b>	<b>Spur gear, 54-tooth, steel (1.0 metric pitch)</b>
<b>6449R</b>	<b>Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)</b>

### Differential Components

7781X	Carrier, differential (aluminum)/ (requires #7783X spider gear shaft)
7781	Carrier, differential/ x-ring gaskets (2)/ ring gear gasket/ 16X23.5X.5 TW
<b>5136X</b>	<b>Differential oil kit (1 each: 10K, 30K, 50K weights)</b>
<b>7880</b>	<b>Differential, front, complete (fits X-Maxx® 8s or XRT®)</b>
<b>7881</b>	<b>Differential, rear, complete (fits X-Maxx® 8s or XRT®)</b>
7782	Gear set, differential (output gears (2)/ spider gears (4)/16X23.5X.5 TW(2))
5041	Grease, premium high performance (20cc)
7780	Housing, differential (front/rear)
<b>7780-BLUE</b>	<b>Housing, differential (front/rear), 6061-T6 aluminum (blue-anodized)</b>
<b>7780-GRAY</b>	<b>Housing, differential (front/rear), 6061-T6 aluminum (gray-anodized)</b>
<b>7780-GRN</b>	<b>Housing, differential (front/rear), 6061-T6 aluminum (green-anodized)</b>
<b>7780-ORN</b>	<b>Housing, differential (front/rear), 6061-T6 aluminum (orange-anodized)</b>
<b>7780-RED</b>	<b>Housing, differential (front/rear), 6061-T6 aluminum (red-anodized)</b>
5040	Oil, differential (20M wt) (standard)
7790	Pinion gear, differential, 11-tooth (front) (heavy duty) (use with #7792 35-tooth differential ring gear)
7791	Pinion gear, differential, 11-tooth (rear) (heavy duty) (use with #7792 35-tooth differential ring gear)
7792	Ring gear, differential, 35-tooth (heavy duty) (use with #7790, #7791 11-tooth differential pinion gears)
7783X	Spider gear shaft (2)/ spacers (4)/16x23.5x.5 stainless washer (2) (for #7781X aluminum differential carrier)
7783	Spider gear shaft (2)/ spacers (4)/16X23.5X.5 TW (2)

### Driveline Components

7851	Bushings, driveshaft, front (1), rear (1)
7794	Cush drive key/ pin/ elastomer damper
7754X	Drive cup (1)/ 3x8mm CS (for use only with #7750X driveshaft)
<b>7754R</b>	<b>Drive cup, steel, extreme heavy duty (2)/ 3x8mm CS, heavy duty (2) (use only with #7750X driveshaft) (machined, heat treated)</b>
7755	Driveshaft assembly, center, aluminum
5040	Oil, differential (20M wt) (standard)
7751X	Rebuild kit, steel constant-velocity driveshaft (includes pins for 2 driveshaft assemblies (for use only with #7750X driveshaft)
<b>7836-BLUE</b>	<b>Steering blocks, 6061-T6 aluminum (blue-anodized), left &amp; right</b>
<b>7836-GRAY</b>	<b>Steering blocks, 6061-T6 aluminum (gray-anodized), left &amp; right</b>

**Page 2 XRT®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 78086-4) Parts List**

7836-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right	7893	Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7836-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right	7894X	Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7836-RED	Steering blocks, 6061-T6 aluminum (red-anodized), left & right	7893X	Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7836	Steering blocks, left & right	7894G	Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7836X	Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)	7893G	Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7768A	Stub axle, aluminum (black-anodized) (1) (for use only with #7750X or 7896 driveshaft)	7894T	Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7768	Stub axle, aluminum, (blue-anodized) (1) (for use only with #7750X or 7896 driveshaft)	7893T	Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7768G	Stub axle, aluminum, (green-anodized) (1) (for use only with #7750X or 7896 driveshaft)	7894R	Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7768T	Stub axle, aluminum, (orange-anodized) (1) (for use only with #7750X or 7896 driveshaft)	7893R	Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7768R	Stub axle, aluminum, (red-anodized) (1) (for use only with #7750X or 7896 driveshaft)	7892	Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7758A	Wheel nuts, splined, 17mm, serrated (black-anodized) (4)	7892X	Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)	7892G	Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)	7892T	Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)	7892R	Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7758R	Wheel nuts, splined, 17mm, serrated (red-anodized) (4)	7743	Suspension pin retainer (4)
<b>Front Suspension &amp; Steering</b>			
7726	Bulkhead tie bar, upper (1)/ lower (2) (steel)	7743-BLUE	Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7828	Bulkhead, front (lower)	7743-GRAY	Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7720X	Bulkhead, front (upper)	7743-GRN	Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7835	Bumper, front/ bumper mount, front	7743-ORNG	Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7832-BLUE	Caster blocks (c-hubs), 6061-T6 aluminum (blue-anodized), left & right	7743-RED	Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7832-GRAY	Caster blocks (c-hubs), 6061-T6 aluminum (gray-anodized), left & right	7740	Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7832-GRN	Caster blocks (c-hubs), 6061-T6 aluminum (green-anodized), left & right	7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7832-ORNG	Caster blocks (c-hubs), 6061-T6 aluminum (orange-anodized), left & right	7741	Suspension pins, 4x85mm (hardened steel) (2)
7832-RED	Caster blocks (c-hubs), 6061-T6 aluminum (red-anodized), left & right	<b>Hardware</b>	
7832	Caster blocks (c-hubs), left & right	4859	CS 3x10 flathead (hex drive)
7879-BLUE	Drag link, 6061-T6 aluminum (blue-anodized)	3474X	Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
7879-GRAY	Drag link, 6061-T6 aluminum (gray-anodized)	2584	Head screws, 3x12mm cap-head machine (hex drive) (6) (TRX® 2.5, 2.5R, 3.3)
7879-GRN	Drag link, 6061-T6 aluminum (green-anodized)	4955	Pins, axle (2.5x12mm) (4)
7879-ORNG	Drag link, 6061-T6 aluminum (orange-anodized)	3234	Screws, 2.5x14mm cap-head machine (hex drive) (6)
7879-RED	Drag link, 6061-T6 aluminum (red-anodized)	2577	Screws, 3x10mm button-head machine (hex drive) (6)
7716	Mount, tie bar, front (1)/ rear (1)	2587	Screws, 3x10mm caphead machine (6) (no washer)
7747-BLUE	Servo horn, steering, 6061-T6 aluminum (blue-anodized)	2551	Screws, 3x10mm countersunk machine (6) (hex drive)
7747-GRAY	Servo horn, steering, 6061-T6 aluminum (gray-anodized)	2578	Screws, 3x12mm button-head machine (hex drive) (6)
7747-GRN	Servo horn, steering, 6061-T6 aluminum (green-anodized)	2579	Screws, 3x15mm button-head machine (hex drive) (6)
7747-ORNG	Servo horn, steering, 6061-T6 aluminum (orange-anodized)	2586	Screws, 3x15mm cap-head machine (hex drive) (6)
7747-RED	Servo horn, steering, 6061-T6 aluminum (red-anodized)	2581	Screws, 3x25mm button-head machine (hex drive) (6)
7847	Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)	2575	Screws, 3x6mm button-head machine (hex drive) (6)
7839	Shock tower, front (left & right halves)	2576	Screws, 3x8mm button-head machine (hex drive) (6)
7843-BLUE	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT™)	2535	Screws, 4x10mm countersunk machine (hex drive) (6)
7843-GRAY	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT™)	3937	Screws, 4x12mm button-head machine (hex drive) (6)
7843-GRN	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT™)	3938	Screws, 4x14mm button-head machine (hex drive) (6)
7843-ORNG	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT™)	2594	Screws, 4x15mm button-head machine (hex drive) (6)
7843-RED	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT™)	2546	Screws, 4x15mm countersunk machine (hex drive) (6)
7843	Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)	3933	Screws, 4x16mm button-head machine (hex drive) (6)
7836-BLUE	Steering blocks, 6061-T6 aluminum (blue-anodized), left & right	2547	Screws, 4x18mm countersunk machine (hex drive) (6)
7836-GRAY	Steering blocks, 6061-T6 aluminum (gray-anodized), left & right	2589	Screws, 4x20mm button-head machine (hex drive) (6)
7836-GRN	Steering blocks, 6061-T6 aluminum (green-anodized), left & right	2597	Screws, 4x22mm button-head machine (hex drive) (6)
7836-ORNG	Steering blocks, 6061-T6 aluminum (orange-anodized), left & right	2596	Screws, 4x25mm button-head machine (hex drive) (6)
7836-RED	Steering blocks, 6061-T6 aluminum (red-anodized), left & right	2598X	Screws, 4x30mm button-head machine (hex drive) (6)
7836	Steering blocks, left & right	2595	Screws, 4x35mm button-head machine (hex drive) (6)
7836X	Steering blocks, left & right/ caster blocks (c-hubs), left & right/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)	4897X	Screws, set (grub), 4mm (with heavy duty threadlock) (6)
7746X	Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)	2743	Set (grub) screws, 3mm hardened (12)
7894	Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)	3642X	Shoulder screws, Ultra Shocks (3x12 hex drive) (6)
		5480X	Wheel wrench, splined, 17mm
<b>LED Lights</b>			
		7882	Extension harness, LED lights (high-voltage)
		6590	High-Voltage Power Amplifier
		7884	LED light bar, front (high-voltage) (40 white LEDs (double row), 82mm wide) (fits Maxx®, X-Maxx®, or XRT™)

**Page 3 XRT®: TQi™ Traxxas Link™ Enabled 2.4GHz Radio & TSM® (Model 78086-4) Parts List**

- 7883 LED light bar, rear, red (with white reverse light) (high-voltage) (24 red LEDs, 24 white LEDs, 100mm wide)/ light bar mount (fits Maxx®, X-Maxx®, or XRT™)
- 7885 LED light kit, complete (includes #6590 high-voltage power amplifier)

**Motors & Electronics**

- 7749 Adapter, standard servo (adapts standard servo to fit in X-Maxx®) Adapter, standard servo (adapts standard servo to fit in Maxx®, X-Maxx®, or XRT®)
- 3475 Cooling fan, Velineon® VXL ESC (fits VXL-6s & VXL-8s)
- 7787-BLUE Cover, gear (blue-anodized 6061-T6 aluminum)
- 7787-GRAY Cover, gear (gray-anodized 6061-T6 aluminum)
- 7787-GRN Cover, gear (green-anodized 6061-T6 aluminum)
- 7787-ORNG Cover, gear (orange-anodized 6061-T6 aluminum)
- 7787-RED Cover, gear (red-anodized 6061-T6 aluminum)
- 7887 Covers, gear (3)
- 3474X Dual cooling fan kit, low profile (with shroud) (fits #3491 motor)
- 2087 Gear set (for 2085 servo)
- 2087X Gear set, metal (for 2085, 2085X servos)
- 3362X Heat sink, low profile, Velineon® 1200XL
- 7760 Motor mounts (front and rear)/ pins (2)
- 7760-BLUE Motor mounts, 6061-T6 aluminum (blue-anodized) (front & rear)
- 7760-GRAY Motor mounts, 6061-T6 aluminum (gray-anodized) (front & rear)
- 7760-GRN Motor mounts, 6061-T6 aluminum (green-anodized) (front & rear)
- 7760-ORNG Motor mounts, 6061-T6 aluminum (orange-anodized) (front & rear)
- 7760-RED Motor mounts, 6061-T6 aluminum (red-anodized) (front & rear)
- 3491 Motor, Velineon® 1200XL, brushless
- 3492 Rebuild kit, Velineon® 1200XL (includes plastic endbells (2), 6x17x6mm ball bearings (2), 6x8x.3 washer (1), 6x8x1 washer (1), 7x6x12 spacer (1))
- 2086 Servo case/gaskets (for 2085 & 2085X servos)
- 2085 Servo, digital high-torque (ball bearing), waterproof
- 2085X Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
- 7878 Spacer, motor shaft (steel)
- 3496T Velineon® VXL-8s Electronic Speed Control, waterproof (brushless) (fwd/rev/brake)
- 7759 Washers, motor mount, aluminum (blue-anodized) (4)/ 4x18mm BCS (4)
- 7759G Washers, motor mount, aluminum (green-anodized) (4)/ 4x18mm BCS (4)
- 7759R Washers, motor mount, aluminum (red-anodized) (4)/ 4x18mm BCS (4)

**Radio System, Batteries & Chargers**

- 2872X 5000mah 11.1v 3-Cell 25C LiPo Battery
- 2889X 5000mah 14.8v 4-Cell 25C LiPo Battery (long)
- 2857X 6400mah 11.1v 3-Cell 25C LiPo Battery
- 2890X 6700mah 14.8v 4-Cell 25C LiPo Battery
- 2914 AA 4PK
- 2938X Adapter, Traxxas® iD® LiPo battery (adapts Traxxas® iD® batteries to separate balance ports)
- 1726 Antenna, tube (1)/ vinyl antenna cap (1)/ wire retainer (1)
- 2943 Battery charge indicators, green (4), grey (4), blue (4)
- 6548 Battery door, TQ 2.4 transmitter (replacement for #6516, 6517 transmitter)
- 2990 Battery/charger completer pack (includes #2972 Dual iD charger (1), #2872X 5000mAh 11.1V 3-cell 25C LiPo iD® Battery (2))
- 2997 Battery/charger completer pack (includes #2973 Dual iD charger (1), #2890X 6700mAh 14.8V 4-cell 25C LiPo iD® Battery (2))
- 2972 Charger, EZ-Peak Dual, 100W, NiMH/LiPo with iD Auto Battery Identification
- 2973 Charger, EZ-Peak Live Dual, 200W, NiMH/LiPo with iD Auto Battery Identification
- 2970 Charger, EZ-Peak Plus, 4 amp, NiMH/LiPo with iD Auto Battery Identification
- 2971 Charger, EZ-Peak® Live, 100W, NiMH/LiPo with iD® Auto Battery Identification
- 2981 Charger, EZ-Peak® Plus 4s, 8 amp, NiMH/LiPo with iD® Auto Battery Identification
- 6525 Communication link, telemetry expander
- 6565 Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the #6590 high-voltage power amplifier)
- 6566 Data link, telemetry expander (connects #6550X telemetry expander 2.0 to the Velineon® #3465 VXL-4s, #3485 Velineon® VXL-6s, or #3496 Velineon® VXL-8s electronic speed control)
- 2087 Gear set (for 2085 servo)

- 2087X Gear set, metal (for 2085, 2085X servos)
- 2968X LiPo cell voltage checker/balancer (includes #2938X adapter for Traxxas® iD® batteries)
- 2968 LiPo cell voltage checker/balancer (requires #2938X adapter for Traxxas® iD® batteries)
- 6533 Receiver, micro, TQi 2.4GHz with telemetry & TSM® (5-channel)
- 6552 Seal kit, expander box (includes o-ring, seals, and silicone grease)
- 6526 Sensor, auto-detectable, temperature
- 6527 Sensor, auto-detectable, voltage
- 6531 Sensor, temperature & voltage (fits X-Maxx® or XRT®)
- 6521 Sensor, temperature and voltage (long)
- 2086 Servo case/gaskets (for 2085 & 2085X servos)
- 2085 Servo, digital high-torque (ball bearing), waterproof
- 2085X Servo, digital high-torque, metal gear (ball bearing), waterproof/ servo saver spring/ steering link
- 6553X Telemetry Expander 2.0 and GPS module 2.0, TQi radio system
- 6550X Telemetry expander 2.0, TQi radio system (for use only with #6551X GPS module)
- 6551X Telemetry GPS module 2.0, TQi radio system (for use only with #6550X telemetry expander)
- 6509R TQi 2.4 GHz High Output radio system, 2-channel, Traxxas® Link enabled, TSM® (2-ch transmitter, 5-ch micro receiver)
- 6507R TQi 2.4 GHz High Output radio system, 4-channel with Traxxas® Link Bluetooth® module, TSM® (4-ch transmitter, 5-ch micro receiver)
- 6528 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 2-channel (transmitter only)
- 6529 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 3-channel (transmitter only)
- 6530 Transmitter, TQi Traxxas® Link enabled, 2.4GHz high output, 4-channel (transmitter only)
- 6511 Traxxas® Link Bluetooth® module

**Ready-To-Race Model**

- 78086-4 XRT™: Brushless Electric Race Truck with TQi™ Traxxas Link™ Enabled 2.4GHz Radio System & Traxxas Stability Management (TSM)®

**Rear Suspension**

- 7726 Bulkhead tie bar, upper (1)/ lower (2) (steel)
- 7827 Bulkhead, rear (lower)
- 7727R Bulkhead, rear (upper) (fits X-Maxx® 8s or XRT®)
- 7852-BLUE Carriers, stub axle (blue-anodized 6061-T6 aluminum) (left & right)
- 7852-GRAY Carriers, stub axle (gray-anodized 6061-T6 aluminum) (left & right)
- 7852-GRN Carriers, stub axle (green-anodized 6061-T6 aluminum) (left & right)
- 7852-ORNG Carriers, stub axle (orange-anodized 6061-T6 aluminum) (left & right)
- 7852 Carriers, stub axle (rear) (left & right)
- 7852X Carriers, stub axle (rear) (left & right)/ 20x32x7mm bearings (2)/ 15x24x5mm bearings (2)
- 7852-RED Carriers, stub axle (red-anodized 6061-T6 aluminum) (left & right)
- 7716 Mount, tie bar, front (1)/ rear (1)
- 7838 Shock tower, rear (left & right halves)
- 7894 Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893 Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894X Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893X Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894G Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893G Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894T Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893T Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894R Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893R Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7892 Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7892X Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7892G Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)

7892T	Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7892R	Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
7743	Suspension pin retainer (4)
7743-BLUE	Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)
7743-GRAY	Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)
7743-GRN	Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)
7743-ORNG	Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)
7743-RED	Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)
7740	Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741	Suspension pins, 4x85mm (hardened steel) (2)

### Shock Oil

5031	Oil, shock (20 wt, 200 cSt, 60cc) (silicone)
5032	Oil, shock (30 wt, 350 cSt, 60cc) (silicone)
5033	Oil, shock (40 wt, 500 cSt, 60cc) (silicone)
5034	Oil, shock (50 wt, 600 cSt, 60cc) (silicone)
5035	Oil, shock (60 wt, 700 cSt, 60cc) (silicone)
5036	Oil, shock (70 wt, 900 cSt, 60cc) (silicone)
5037	Oil, shock (80 wt, 1,000 cSt, 60cc) (silicone)
5029	Shock oil bottle (60cc) (for mixing shock oil)
5038X	Shock oil set (includes 20 wt, 30 wt, 40 wt, 50 wt, 60 wt, 70 wt, & 80 wt premium shock oils with spinning carousel rack)
5038	Spinning carousel rack

### Shocks (GTX)

7866A	Body, GTX shock, medium (aluminum, black-anodized) (1)
7866	Body, GTX shock, medium (aluminum, blue-anodized) (1)
7866G	Body, GTX shock, medium (aluminum, green-anodized) (1)
7866T	Body, GTX shock, medium (aluminum, orange-anodized) (1)
7866R	Body, GTX shock, medium (aluminum, red-anodized) (1)
7866X	Body, GTX shock, medium (hard-anodized, PTFE-coated aluminum) (1)
7762X	Rebuild kit, GTX shocks (lower cartridge, assembled, pistons, piston nuts, bladders) (renews 2 shocks)
7764A	Shock caps, aluminum (blue-anodized), GTX shocks (4)/ spacers (8)
7764G	Shock caps, aluminum (green-anodized), GTX shocks (4)/ spacers (8)
7764X	Shock caps, aluminum (hard anodized, PTFE-coated), GTX shocks (4)/ spacers (8)
7764R	Shock caps, aluminum (red-anodized), GTX shocks (4)/ spacers (8)
7764	Shock caps, GTX shocks/ spring perch/ adjusters/ 2.5x14 CS (2) (for 2 shocks)
7863	Shock shaft, 92mm (GTX) (steel, chrome finish) (2) (assembled with rod ends & hollow balls)
7863T	Shock shaft, 92mm (GTX) (TiN-coated) (2) (assembled with rod ends & hollow balls)
7861A	Shocks, GTX, medium (aluminum, black-anodized) (fully assembled w/o springs) (2)
7861	Shocks, GTX, medium (aluminum, blue-anodized) (fully assembled w/o springs) (2)
7861G	Shocks, GTX, medium (aluminum, green-anodized) (fully assembled w/o springs) (2)
7861T	Shocks, GTX, medium (aluminum, orange-anodized) (fully assembled w/o springs) (2)
7861R	Shocks, GTX, medium (aluminum, red-anodized) (fully assembled w/o springs) (2)
7767	Spring retainer (adjuster), blue-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767G	Spring retainer (adjuster), green-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7767X	Spring retainer (adjuster), PTFE-coated aluminum, GTX shocks (4) (assembled with o-ring)
7767R	Spring retainer (adjuster), red-anodized aluminum, GTX shocks (4) (assembled with o-ring)
7845	Springs, shock, medium (natural finish) (GTX) (2.355 rate) (2)
7841	Springs, shock, medium (natural finish) (GTX) (2.599 rate, white stripe) (2)
7865	Springs, shock, medium (natural finish) (GTX) (2.899 rate, orange stripe) (2)
7864	Springs, shock, medium (natural finish) (GTX) (3.141 rate, green stripe) (2)
7859	Springs, shock, medium (natural finish) (GTX) (3.445 rate, tan stripe) (2)

7849	Springs, shock, medium (natural finish) (GTX) (3.744 rate) (2)
7842	Springs, shock, medium (natural finish) (GTX) (4.101 rate, pink stripe) (2)
7848	Springs, shock, medium (natural finish) (GTX) (4.594 rate, blue stripe) (2)
7850	Springs, shock, medium (natural finish) (GTX) (5.059 rate, red stripe) (2)
7846	Springs, shock, medium (natural finish) (GTX) (5.543 rate, yellow stripe) (2)

### Spur Gears & Pinion Gears

6484X	Gear, 11-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6485X	Gear, 12-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6486X	Gear, 13-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6488X	Gear, 14-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6487X	Gear, 15-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6489X	Gear, 16-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6490X	Gear, 17-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6491X	Gear, 18-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6480X	Gear, 19-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494X	Gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6494R	Gear, 20-T pinion (machined, hardened steel) (1.0 metric pitch) (fits 5mm shaft)/ set screw
6493X	Gear, 21-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6495X	Gear, 22-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6481X	Gear, 23-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6496X	Gear, 24-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6492X	Gear, 25-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw (for use only with steel spur gears)
6497	Gear, 26-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6442	Spur gear, 46-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6447R	Spur gear, 46-tooth, steel (wide-face, 1.0 metric pitch)
6443	Spur gear, 50-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6450	Spur gear, 50-tooth (machined, hardened steel) (wide-face)/ gear, 20-T pinion (1.0 metric pitch) (fits 5mm shaft)/ set screw
6448R	Spur gear, 50-tooth, steel (wide-face, 1.0 metric pitch)
6444	Spur gear, 54-tooth (machined, hardened steel) (wide face, 1.0 metric pitch)
6449X	Spur gear, 54-tooth, steel (1.0 metric pitch)
6449R	Spur gear, 54-tooth, steel (wide-face, 1.0 metric pitch)

### Steering Components

5119	Ball bearings, blue rubber sealed (10x15x4mm) (2)
5116	Ball bearings, blue rubber sealed (5x11x4mm) (2)
7879-BLUE	Drag link, 6061-T6 aluminum (blue-anodized)
7879-GRAY	Drag link, 6061-T6 aluminum (gray-anodized)
7879-GRN	Drag link, 6061-T6 aluminum (green-anodized)
7879-ORNG	Drag link, 6061-T6 aluminum (orange-anodized)
7879-RED	Drag link, 6061-T6 aluminum (red-anodized)
7747-BLUE	Servo horn, steering, 6061-T6 aluminum (blue-anodized)
7747-GRAY	Servo horn, steering, 6061-T6 aluminum (gray-anodized)
7747-GRN	Servo horn, steering, 6061-T6 aluminum (green-anodized)
7747-ORNG	Servo horn, steering, 6061-T6 aluminum (orange-anodized)
7747-RED	Servo horn, steering, 6061-T6 aluminum (red-anodized)
7847	Servo horn, steering/ linkage, steering (48mm, assembled with pivot balls)
7843-BLUE	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, blue-anodized) (fits XRT™)
7843-GRAY	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, gray-anodized) (fits XRT™)
7843-GRN	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, green-anodized) (fits XRT™)
7843-ORNG	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, orange-anodized) (fits XRT™)
7843-RED	Steering bellcranks (left & right)/ draglink (6061-T6 aluminum, red-anodized) (fits XRT™)

7843	Steering bellcranks/ servo saver/ servo saver spring/ draglink/ 3x20mm shoulder screws (2)
<b>7746X</b>	<b>Steering link, steel/ servo saver spring, heavy duty (use with #2085X metal gear servo)</b>
7897	Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
<b>7897A</b>	<b>Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)</b>
<b>7897X</b>	<b>Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)</b>
<b>7897G</b>	<b>Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)</b>
<b>7897R</b>	<b>Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)</b>

**Suspension Linkage**

<b>7798</b>	<b>Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)</b>
<b>7797</b>	<b>Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)</b>
7743	Suspension pin retainer (4)
<b>7743-BLUE</b>	<b>Suspension pin retainer, 6061-T6 aluminum (blue-anodized) (4)</b>
<b>7743-GRAY</b>	<b>Suspension pin retainer, 6061-T6 aluminum (gray-anodized) (4)</b>
<b>7743-GRN</b>	<b>Suspension pin retainer, 6061-T6 aluminum (green-anodized) (4)</b>
<b>7743-ORNG</b>	<b>Suspension pin retainer, 6061-T6 aluminum (orange-anodized) (4)</b>
<b>7743-RED</b>	<b>Suspension pin retainer, 6061-T6 aluminum (red-anodized) (4)</b>
7740	Suspension pin set, front or rear corner (hardened steel), 4x85mm (1), 4x47mm (3), 4x33mm (2) (qty 4, #7740 required for complete set)
7742	Suspension pin set, shock mount (front or rear, hardened steel), 4x25mm (2), 4x38mm (2)
7741	Suspension pins, 4x85mm (hardened steel) (2)
7897	Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
<b>7897A</b>	<b>Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)</b>
<b>7897X</b>	<b>Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)</b>
<b>7897G</b>	<b>Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)</b>
<b>7897R</b>	<b>Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)</b>

**Team Traxxas Items**

2514	Decal sheet, racing sponsors
9950	Official Team Traxxas® racing decal set(flag logo/ 6-color)
9909	Traxxas® racing banner, red & black (3x7 feet)

**Tires & Wheels**

<b>7772A</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® black chrome wheels, Maxx® AT tires, foam inserts) (left &amp; right) (2)</b>
<b>7774A</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® black chrome wheels, Sledgehammer® tires, foam inserts) (left &amp; right) (2)</b>
<b>7877</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® black wheels, Gravix™ tires, foam inserts) (left &amp; right)</b>
<b>7772X</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® black wheels, Maxx® AT tires, foam inserts) (left &amp; right) (2)</b>
<b>7773</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® black wheels, paddle tires, foam inserts) (left &amp; right) (2)</b>
<b>7772G</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® green wheels, Maxx® AT tires, foam inserts) (left &amp; right) (2)</b>
<b>7774G</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® green wheels, Sledgehammer® tires, foam inserts) (left &amp; right) (2)</b>
<b>7772T</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® orange wheels, Maxx® AT tires, foam inserts) (left &amp; right) (2)</b>
<b>7774T</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® orange wheels, Sledgehammer® tires, foam inserts) (left &amp; right) (2)</b>
<b>7772R</b>	<b>Tires &amp; wheels, assembled, glued (X-Maxx® satin chrome wheels, Maxx® AT tires, foam inserts) (left &amp; right) (2)</b>
7872	Tires & wheels, assembled, glued (XRT® Race black wheels, Gravix™ tires, foam inserts) (left & right)
<b>7875</b>	<b>Tires &amp; wheels, assembled, glued (XRT® Race black wheels, Maxx® AT tires, foam inserts) (left &amp; right)</b>

<b>7876</b>	<b>Tires &amp; wheels, assembled, glued (XRT® Race black wheels, Sledgehammer® tires, foam inserts) (left &amp; right)</b>
7873	Tires, Gravix™ (left & right)/ foam inserts (2)
<b>7770X</b>	<b>Tires, Maxx® AT (left &amp; right) (2)/ foam inserts (2)</b>
7757	Wheel hex clips (6)
7756	Wheel hubs, hex (2)/ hex clips (2)
<b>7756X</b>	<b>Wheel hubs, hex, aluminum (blue-anodized) (4)</b>
<b>7756G</b>	<b>Wheel hubs, hex, aluminum (green-anodized) (4)</b>
<b>7756R</b>	<b>Wheel hubs, hex, aluminum (red-anodized) (4)</b>
<b>7758A</b>	<b>Wheel nuts, splined, 17mm, serrated (black-anodized) (4)</b>
7758	Wheel nuts, splined, 17mm, serrated (blue-anodized) (4)
7758G	Wheel nuts, splined, 17mm, serrated (green-anodized) (4)
7758T	Wheel nuts, splined, 17mm, serrated (orange-anodized) (4)
<b>7758R</b>	<b>Wheel nuts, splined, 17mm, serrated (red-anodized) (4)</b>
5480X	Wheel wrench, splined, 17mm
<b>7771</b>	<b>Wheels, X-Maxx®, black (left and right)</b>
7874	Wheels, XRT® Race, black (left and right)

**Transmission Components**

7796	Center drive, torque biasing (assembled)/ 17x26x5 ball bearings (2) (requires #7727X bulkheads)
<b>7787-BLUE</b>	<b>Cover, gear (blue-anodized 6061-T6 aluminum)</b>
<b>7787-GRAY</b>	<b>Cover, gear (gray-anodized 6061-T6 aluminum)</b>
<b>7787-GRN</b>	<b>Cover, gear (green-anodized 6061-T6 aluminum)</b>
<b>7787-ORNG</b>	<b>Cover, gear (orange-anodized 6061-T6 aluminum)</b>
<b>7787-RED</b>	<b>Cover, gear (red-anodized 6061-T6 aluminum)</b>
7887	Covers, gear (3)
7785X	Input gear, transmission, 20-tooth/ 2.5x12mm pin
7786X	Input shaft, transmission (cush drive)
5040	Oil, differential (20M wt) (standart)
7784X	Output gear, 51-tooth, metal (requires #7785X input gear)

**Traxxas Tools**

<b>3433X</b>	<b>Body reamer (aluminum handle)</b>
<b>3433</b>	<b>Body reamer (plastic handle)</b>
<b>3436</b>	<b>Cap, body reamer</b>
<b>3432</b>	<b>Scissors, curved tip</b>
<b>3431</b>	<b>Scissors, straight tip</b>
<b>8712</b>	<b>Speed Bit Essentials Set, hex and nut driver, 7-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm) and nut drivers (5.0mm, 5.5mm, 7.0mm, and 8.0mm), 1/4" drive</b>
8720	Speed bit handle, large (overmolded)
8721	Speed bit handle, medium (one piece)
8722	Speed bit handle, premium (rubber overmold)
<b>8710</b>	<b>Speed Bit Master Set, hex and nut driver, 13-piece, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm), (ball-end: 2.0mm, 2.5mm, 3.0mm), and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive</b>
<b>8711</b>	<b>Speed Bit Master Set, hex driver, 7-piece straight and ball end, includes premium handle (medium), travel pouch, hex drivers (straight: 1.5mm, 2.0mm, 2.5mm, 3.0mm) (ball end: 2.0mm, 2.5mm, 3.0mm), 1/4" drive</b>
<b>8719</b>	<b>Speed Bit Master Set, nut driver, 6-piece, includes premium handle (medium), travel pouch, and nut drivers (4.0mm, 4.5mm, 5.0mm, 5.5mm, 7.0mm, 8.0mm), 1/4" drive</b>
<b>8716</b>	<b>Speed Bit Set, hex driver, 2-piece ball-end (2.0mm, 2.5mm), 1/4" drive</b>
<b>8716X</b>	<b>Speed Bit Set, hex driver, 3-piece ball-end (2.0mm, 2.5mm, 3.0mm) 1/4" drive</b>
<b>8715</b>	<b>Speed Bit Set, hex driver, 3-piece straight (1.5mm, 2.0mm, 2.5mm), 1/4" drive</b>
<b>8715X</b>	<b>Speed Bit Set, hex driver, 4-piece straight (1.5mm, 2.0mm, 2.5mm, 3.0mm), 1/4" drive</b>
<b>8714</b>	<b>Speed Bit Set, screwdriver, 3-piece straight (3mm slotted, #1 Phillips, and #2 Phillips bits), 1/4" drive</b>
<b>2748R</b>	<b>Tool set (includes 1.5mm hex wrench / 2.0mm hex wrench / 2.5mm hex wrench/ 4-way wrench/ 8mm &amp; 4mm wrench/ U-joint wrench)</b>
<b>3415</b>	<b>Tool set with pouch (includes 1.5mm, 2.0mm, 2.5mm, 3.0mm, 3.5mm, 4mm drivers/4mm, 5mm, 5.5mm, 7mm, and 8mm nut drivers/ 2mm, 3mm, and 4mm slotted screwdrivers/ #00 Phillips, #0 Phillips, and #1 Phillips screwdrivers/ 4mm and 8mm wrenches/ driver handle)</b>
5480X	Wheel wrench, splined, 17mm

**Turnbuckles & Threaded Rods**

<b>7798</b>	<b>Insert, threaded steel (replacement inserts for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X) (includes (1) left and (1) right threaded insert)</b>
<b>7797</b>	<b>Rod ends (4) (assembled with steel pivot balls) (replacement ends for #7748G, 7748R, 7748X, 8542A, 8542R, 8542T, 8542X)</b>

- 7897 Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7897A Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
- 7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
- 7897R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)

**WideMaxx® Suspension Kit**

- 7896 Driveshaft, steel constant velocity (shaft only, 190.3mm) (1) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894 Suspension arm, lower, black (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893 Suspension arm, lower, black (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894X Suspension arm, lower, blue (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893X Suspension arm, lower, blue (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894G Suspension arm, lower, green (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893G Suspension arm, lower, green (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894T Suspension arm, lower, orange (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893T Suspension arm, lower, orange (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7894R Suspension arm, lower, red (1) (left, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7893R Suspension arm, lower, red (1) (right, front or rear) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7892 Suspension arms, upper, black (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7892X Suspension arms, upper, blue (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7892G Suspension arms, upper, green (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7892T Suspension arms, upper, orange (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7892R Suspension arms, upper, red (left or right, front or rear) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7897 Toe links, 202.5mm (187.5mm center to center) (black) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7897A Toe links, front (TUBES black-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895 X-Maxx® WideMaxx® suspension kit)
- 7897X Toe links, front (TUBES blue-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895X X-Maxx® WideMaxx® suspension kit)
- 7897G Toe links, front (TUBES green-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895G X-Maxx® WideMaxx® suspension kit)
- 7897R Toe links, front (TUBES red-anodized, 7075-T6 aluminum, stronger than titanium) (2) (for use with #7895R X-Maxx® WideMaxx® suspension kit)

If you have questions or need technical assistance, call Traxxas at:

**1-888-TRAXXAS**

(1-888-872-9927) (U.S. residents only)

For orders, calls outside the U.S., and other information, call 972-549-3000, or fax to 972-549-3011 e-mail [support@Traxxas.com](mailto:support@Traxxas.com)

**TRAXXAS.COM**