

BACK TRACK

NAME DATE

TEMPERATURE TEMPERATURE

AIR TRACK

LAYS RIVAL POSITION SET LAPPING BACK LENGTH

TRACKS

SIZE OPEN MEDIUM TIGHT

TRACTION LOW MEDIUM HIGH

SEALICE SMOOTH MEDIUM BUMPY

TYPE HARD PAGED SOFT BIRT OAT

BLUE GROVE ACTO TOR GROSS

CONDITION DRY DUSTY WET MILD

DIFFERENTIAL

FRONT	CENTR	REAR
CAR MATERIAL		CAR MATERIAL
OIL		OIL
CROWN GEAR		CROWN GEAR

GEARING

CUTCH SHAFT 3 4

SPRINGS

CUTCH REEL /

SWA REEL /

SHOCKS

TYPE

SPRINGS

MATERIAL

AS

AS

STANDARD PATTERN

<input type="checkbox"/> 6 HOLES	<input type="checkbox"/> 1.1 mm	<input type="checkbox"/> 6 HOLES
<input type="checkbox"/> 8 HOLES	<input type="checkbox"/> 1.2 mm	<input type="checkbox"/> 8 HOLES
<input type="checkbox"/> 10 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 10 HOLES
<input type="checkbox"/> 10 HOLES	<input type="checkbox"/> 1.4 mm	<input type="checkbox"/> 10 HOLES

VALVE PATTERN

<input type="checkbox"/> 5+2 HOLES	<input type="checkbox"/> 1.5 mm	<input type="checkbox"/> 5+2 HOLES
<input type="checkbox"/> 6+2 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 6+2 HOLES
<input type="checkbox"/> 6+2 HOLES	<input type="checkbox"/> 1.4 mm	<input type="checkbox"/> 6+2 HOLES
<input type="checkbox"/> 8+2 HOLES	<input type="checkbox"/> 1.2 mm	<input type="checkbox"/> 8+2 HOLES
<input type="checkbox"/> 8+2 HOLES	<input type="checkbox"/> 1.3 mm	<input type="checkbox"/> 8+2 HOLES

ANTI-ROLL BAR

FRONT REAR

THICKNESS

TIRES

FRONT REAR

BRAND

COMPOUND

WIDTH

WHILLS

ENGINE

TYPE

MATERIAL

MANIFOLD

PISTON

VALVE

BODY DAY LIGHT

OTHER

TOTAL WEIGHT

