



1:10 SCALE 2WD ELECTRIC BUGGY
TR02C CHASSIS



Team

Notice

Thank you for purchasing this Lupuz Offroad Buggy by Team C. This manual shows instructions and tips to built and maintain your Lupuz. Please take some time to read through to get familiar with the shown steps.

We continually improve our products, due to that, actual parts may be different to the illustrations. Please check our website for the latest versions manuals and tips before you start to built this model.

This manual is written in english language only. If you need a manual in your language please visit our website or contact your distributor!

Diese Anleitung wurde in englischer Sprache verfasst. Sollten sie eine Anleitung in ihrer Sprache benötigen, besuchen sie unsere website oder kontaktieren sie ihren Vertriebsagenten.

Questo manuale è stato scritto in inglese. Se avete bisogno del manuale nella tua lingua, si prega di visitare il nostro sito web o contattate il proprio distributore.

Este manual está escrito en Inglés. Si necesita el manual en su idioma, por favor visite nuestro sitio web o contacte con su distribuidor.

Ce manuel est écrit en langue anglaise. Si vous avez besoin d'un manuel dans votre langue s'il vous plaît visitez notre site web ou contactez votre distributeur!

Deze handleiding is geschreven in het Engels taal beschikbaar. Als u een handleiding in uw eigen taal kunt u terecht op onze website of neem contact op met uw distributeur!

General Information

THIS IS NOT A TOY!

Not suitable for children under 14 years of age without adult supervision.

This is a high performance vehicle, for safety reason don't run on public streets, in crowded areas, environmentally areas or near children or animals.

This model contains rotating parts and parts which become hot during operation. Care must be taken to avoid damage or injuries.

This product may require some assembly and routine maintenance.

This product is covered by warranty based on material defectives. Crash damage or maintenance failures are not covered under warranty.

Batteries should be used in good condition only, and need to be fully charged.


Nitro models should be driven outside of buildings only. Inhaling exhaust gases could cause health damage.

Keep chemicals stored out of the range of small children.


Make sure your model and equipment is in perfect condition before you use it, to ensure safety and fun while driving.

14 Spur Gear

T02084 M4 Flanged Nylon Nut




T02211 5x7 Top shaft spacer



15 Motor



T02141 M3x3 Screw



T02083 M3x8 Screw




T02081 3x7x0.8 Washer



16 Rear Suspension

T02059 Ball stud-Long





T02083 M3x8 Screw



T02213 M3x14 Screw



T02055 3x48 Hinge pin Rear inner



Apply threadlocker(screw cement)



Assemble both Left and Right

17 Rear Shock Tower

T02082 M3x10 Screw



T02082 M3x12 Screw



T02082 M3x22 Screw



T02082(M3x22)

T02117

T02108

T02205

T02082(M3x12)

T02082(M3x10)

T02082(M3x12)

T02082(M3x10)

T02117

T02082(M3x22)

18 Rear Suspension

T02082(M3x10)

T02082 M3x10 Screw



T02082(M3x10)

19 Rear Suspension

<Left>

T02135

T02124


T02079

T02060


T02115

<Right>


T02060 Ball stud-short



T02115 2x9.8 Shaft



T02079 5x10x4 Contain oil ball bearing




T02115



Assemble both Left and Right

20 Rear Suspension





21 Rear Suspension


T02112 4.8mm Ball End(Long)



T02045 3x54 Turnbuckle



22 Rear Suspension



Assemble both Left and Right
组装左和右



True-to -scale diagram



Assemble as many times as specified

23 Shock Absorber


Front-Short

x2

Rear-Short

x2


T02138/T02139 2.3 E-ring




T02068 Shock Piston




T02069 2.8x1.9 O-ring



T02069 3.1x1 Plastic Washer





T02066/T02067 8x1 O-ring



T02114 5.8 Ball End



T02137 5.8x6 Ball stud






24 Shock Absorber

避震器



for Front(Short)
for Rear(Long)

F/R x2



Front-Short

x2

Rear-Long

x2




Assemble both front and rear




Assemble as many times as specified

25 Shock Absorber




26 Front Suspension



27 Rear Suspension



T02084 M3 Nylon Nut



T02082 M3x15 Screw



T02084(M3)

T02082(M3x15)

28 Front Suspension



Assemble both Left and Right

T02082(M3x10)

T02082(M3x10)


T02202

T02082 M3x10 Screw




29 Rear Suspension

T02083 M3x10 Screw



T02083 M3x12 Screw




30 Battery Mount / Body Mount

T02083 M3x8 Screw



T02083 M3x10 Screw





31 Steering Servo

Select for your servo




Steering Servo-H(24T) Steering Servo-S(23T)




T02136


T02082(2.6x8)



T02110 Steering Servo-F(25T)




T02113 4.8 Ball End(Short) T02081 3x7x0.8 Washer T02136 Ball stud - silvery




T02116 1.5 Servo spacer

T02113 M3x10 Screw T02082 M3x8 Screw T02082 M2.6x8 Screw



32 Steering Servo



T02083(M3x8)

T02083 M3x8 Screw



Must be purchased separately

33 Receiver / ESC

T02213 M3x3 Screw

.....1

Antenna pipe
set cover

Antenna pipe

T02087

Receiver

T02213

ESC

T02087


Double-sided Tape

34 Battery

T02086

T02210

X



If using loose battery cells,
Please put the battery panel conversely.

T02086 Small clip

.....4

X


Must be purchased separately

35 Wing

T02086 Small clip




.....2



36 Tyre


Front

x2



Rear

x2




x2

Assemble as many times as specified

Transmitter Preparation

Power Switch



Antenna

Extend the antenna to the maximum Length for best performance

27MHz Transmitter Crystal (TX)

Transmitter crystal(TX)

Receiver crystal(RX)



The crystal can be replaced to change frequencies.
Note : You must also change receiver crystals!
Do not use AM crystals

Battery Level Indicator




Good Batteries




Low Batteries(Light Blinks)

Reverse Switch 反向开关

! Servo Factory Settings




4 3ch Switch



This switch is used for optional parts.

Left turn
Straight (neutral)
Right turn



1 Steering Trim



To be used for trimming the steering operation

2 Throttle Trim



To be used for trimming the throttle operation

3 Steering Dual Rate




To be used to adjust steering servo throw



Transmitter Battery Installation

Open battery cover at the bottom of transmitter. Install batteries. Follow the direction of batteries designated in the inside of battery box.


Battery Cover



8X AA Alkaline Batteries





37 Tyre



After fitting wheels to tyres, apply instant glue as shown

38 Tyre

T02084 M4 Flanged Nylon Nut




Assemble as many times as specified




Assemble both Left and Right

37 Tyre






























38 Tyre





























Parts list for TR02C off-road buggy-1

TR02C配件包-1

T02200  Wing 尾翼 1pcs	T02201  3pcs Body 车壳 1pcs	T02202  Main Chassis plate 主底盘 1pcs	T02203  Rear chassis plate 后底盘 1pcs	T02204  Rear arm mount-R 后摆臂固定座-R 1pcs
T02205  Rear shock tower 后避震支架 1pcs	T02206  Rear brace mount 后支撑座 1pcs	T02207  1pcs 1pcs Differential-L 差速箱-L Differential-R 差速箱-R	T02208  Motor plate 马达座 1pcs	T02209  1pcs Motor Mount Column 马达座扶持柱
T02210  Battery plate 电池压板 1pcs	T02211  5x7 Top shaft spacer 衬套 1pcs	T02212  Battery column 电池扣支柱 4pcs	T02213  M3x27 Screw M3x27螺丝 8pcs  M3x14 Screw M3x14螺丝 8pcs  M3x3 Screw M3x3螺丝 8pcs	
T02119  80T Spur Gear 减速齿 1pcs	T02003  28T Spur Gear 减速齿 1pcs	T02004  52T Gear 齿轮 1pcs	T02007  M2.5x25 Screw 螺丝 1pcs  M2.5 Nylon Nut 尼龙螺母 1pcs  Differential Nut Mount 滚差螺母座 1pcs	T02008  Front chassis plate 前底盘 1pcs
T02122  C-type holder L C-type holder R C型座-L 1pcs C型座-R 1pcs	T02123  Steering block-L 转向臂-L 1pcs Steering block-R 转向臂-R 1pcs	T02124  3.1x6x1 Plastic Washer 塑胶垫片 4pcs  1pcs 1pcs Rear hub carriers 后轮座	T02125  Front alight suspension arm mount 前下摆臂座 1pcs  Rear arm mount-F 后摆臂固定座-F 1pcs  Rear arm mount-R 后摆臂固定座-R 1pcs	T02126  Front upper suspension arm mount 前上摆臂座 1pcs
T02104  Front lower arms 前下摆臂 2pcs	T02105  Rear lower arms 后下摆臂 2pcs	T02128  Front brace mount 前支撑座 1pcs	T02129  Front shock tower 前避震支架 1pcs	T02106  Servo saver upper 缓冲臂上 1pcs  Servo saver lower 缓冲臂下 1pcs  Servo saver - L 缓冲臂-L 1pcs
T02107  Steering Rack 缓冲连接片 1pcs	T02108  Rear body mount 后车壳柱 2pcs Wing angle shim 尾翼调整片 2pcs Wing bracket 尾翼架 2pcs Battery column 电池扣支柱 2pcs	T02109  Front bumper 前防撞板 1pcs Motor guard 马达罩 1pcs	T02110  Steering servo horn-F 转向伺服臂F 1pcs Steering servo horn-H 转向伺服臂H 1pcs Steering servo horn-S 转向伺服臂S 1pcs	T02111  Servo Mount 伺服机座 2pcs
















Parts list for TR02C off-road buggy-2

TR02C配件包-2

T02112  4.8 Ball End-Long 球头座-长 6pcs	T02113  4.8 Ball End-Short 球头座-短 2pcs M3x10 Screw 螺丝 1pcs	T02114  Below Spring mount end 弹簧下座 2pcs 5.8 Ball End 球头座 2pcs	T02132  Front rim 前轮框 2pcs	T02133  Rear rim 后轮框 2pcs
T02115  Hexagonal 六角座 4pcs 2x9.8 Pin 钢针 4pcs	T02116  1.0 Servo spacer 伺服机座垫片 2pcs 1.5 Servo spacer 伺服机座垫片 2pcs	T02037  Front hinge pin barce 前摆臂固定片 1pcs	T02038  Slipper pad 扭限摩擦片 2pcs	T02134  Slipper hub 扭限座 2pcs
T02040  Slipper Spring 扭限弹簧 1pcs	T02041  5x8x6.7 Top shaft spacer 衬套 1pcs	T02042  4.0 E-ring E扣 2pcs 2x9.8 Pin 钢针 2pcs Front wheel axle 前轮轴 2pcs	T02043  Buffer Nut 缓冲调整螺帽 1pcs Buffer column-A 转向缓冲器支柱A 1pcs Buffer column-B 转向缓冲器支柱B 1pcs Buffer Spring 缓冲弹簧 1pcs 4.0 E-ring E扣 1pcs	
T02044  3x10 Screw 螺丝 2pcs Block Carrier 缓冲钢套 2pcs 3x7x0.8 Washer 垫片 2pcs	T02045  3x54 Turnbuckle 拉杆 2pcs	T02046  Differential connecting hub - Short 滚差接杯-短 1pcs Differential connecting hub - Long 滚差接杯-长 1pcs		T02047  Differential Spring 滚差调整弹簧 1pcs
T02048  2.37mm Ball 钢珠 12pcs	T02049  17x23x1 Washer 垫片 2pcs	T02050  2.6x6x3 Stop push ball bearing 止推轴承 1pcs	T02051  idler gear shaft 减速齿轮轴 1pcs	T02052  Gear 20T 入力齿 1pcs
T02141  Pinion Gear 21T 马达齿 1pcs 3x3 Screw 螺丝 1pcs	T02054  2.3 E-ring E扣 4pcs 3x27.5 Hinge pin front outer 前摆臂销-外 2pcs	T02055  3x48 Hinge pin Rear inner 后摆臂销-内 2pcs	T02056  2.3 E-ring E扣 4pcs 3x34.5 Hinge pin front inner 前摆臂销-内 2pcs	T02057  2.3 E-ring E扣 4pcs 3x30.5 Hinge pin Rear outer 后摆臂销-外 2pcs
T02135  Rear CVD 后CVD万向传动轴 2pcs	T02059  Ball stud-Long 球头-长 4pcs	T02060  Ball stud-Short 球头-短 5pcs	T02136  Ball stud-Silvery 球头-银色 2pcs	T02137  5.8x6 Ball stud 球头 4pcs

Parts list for TR02C off-road buggy-3

TR02C配件包-3

T02117  5mm Plastic Ball stud 塑胶球头 4pcs	T02138  3x42.5 Front Shock Absorber Shaft 前避震器轴 2pcs  2.3 E-ring E扣 4pcs	T02139  3x51 Rear Shock Absorber Shaft 后避震器轴 2pcs  2.3 E-ring E扣 4pcs	T02066  Front damper case 前油筒 2pcs  8x1 O-ring O环 2pcs  Shock Absorber upper cover-Plastic 上盖-塑胶 2pcs  top Spring mount end 弹簧上座 2pcs  Shock Absorber below cover-Plastic 下盖-塑胶 2pcs	
T02067  Rear damper case 后油筒 2pcs  8x1 O-ring O环 2pcs  Shock Absorber upper cover-Plastic 上盖-塑胶 2pcs  top Spring mount end 弹簧上座 2pcs  Shock Absorber below cover-Plastic 下盖-塑胶 2pcs	T02068  Shock piston 避震活塞 4pcs	T02069  3.1x1mm Plastic Washer 塑胶垫片 4pcs  2.8x1.9 O-ring O环 8pcs  3.5 Press washer 压垫 4pcs	T02140  1mm adjuster ring 调节环 4pcs  2mm adjuster ring 调节环 4pcs  3mm adjuster ring 调节环 4pcs  5mm adjuster ring 调节环 4pcs	
T02071  Front Shock Absorber Spring 前避震弹簧 2pcs	T02072  Rear Shock Absorber Spring 后避震弹簧 2pcs	T02073  Diaphragm 气室 4pcs	T02074  Rear-tyre 后轮胎 2pcs  Rear-Sponge 后轮胎海绵 2pcs	T02075  Front-tyre 前轮胎 2pcs  Front-Sponge 前轮胎海绵 2pcs
T02077  5x8x2.5 Contain oil ball bearing 含油轴承 6pcs	T02078  10x15x4 Contain oil ball bearing 含油轴承 6pcs	T02079  5x10x4 Contain oil ball bearing 含油轴承 6pcs	T02080  3x6x2.5 Ball Bearing 轴承 4pcs	T02100  5x10x4 Ball Bearing 轴承 6pcs
T02081  3x7x0.8 Washer 垫片 10pcs	T02082  2.6x8 Screw 螺丝 8pcs  3x5 Screw 螺丝 8pcs  3x8 Screw 螺丝 8pcs  3x10 Screw 螺丝 8pcs  3x12 Screw 螺丝 8pcs  3x15 Screw 螺丝 8pcs  3x22 Screw 螺丝 8pcs  3x25 Screw 螺丝 8pcs			T02083  3x8 Screw 螺丝 8pcs  3x15 Screw 螺丝 8pcs  3x10 Screw 螺丝 8pcs  3x8 Screw 螺丝 8pcs
T02088  Front Shock Absorber 前避震器 2pcs	T02089  Rear Shock Absorber 后避震器 2pcs			T02084  M4 Flanged Nylon Nut 带边尼龙螺母 6pcs  M3 Nylon Nut 尼龙螺母 6pcs
			T02085  2.3 E-ring E扣 8pcs  4.0 E-ring E扣 8pcs	

Parts list for TR02C off-road buggy-4


TR02C配件包-4

T02086



Small clip
小号插销
8pcs


T02087



Double-sided tape
双面胶 1pcs




Antenna pipe set cover
天线管帽 1pcs




Antenna pipe set
天线管 1pcs

Tu0219

OP




C-Type-Holder 25 Degree - L
25° C型座-L 1pcs




C-Type-Holder 25 Degree - R
25° C型座-R 1pcs

Tu0220

OP




C-Type-Holder 30 Degree - L
30° C型座-L 1pcs



C-Type-Holder 30 Degree - R
30° C型座-R 1pcs

Tu0222

OP



Front arm mount 1Set
前摆臂固定座

Tu0225


OP



M2x5 Screw
螺丝 4pcs




5.1x8x0.2 Washer
垫片 4pcs



Hex mount
六角座 4pcs

Tu0224


OP



Servo mount 2pcs
伺服机固定座

Tu0226

OP



Front hinge pin brace
前摆臂固定片 1pcs

Tu0228


OP




Brass battery tray 1pcs
电池铜座

Tu0230

OP




Hard Shock Absorber Spring Set(Blue)
硬-避震器弹簧组 (蓝色)



Tu0231

OP




Medium Shock Absorber Spring Set(Red)
中-避震器弹簧组 (红色)



Tu0233

OP



Buggy CVD for ae rim
越野车-美式CVD 2pcs



1.6x11 Spring Pin
弹簧销 2pcs




Aluminum Washer
铝垫片 2pcs



5.1x8x0.2 Washer
垫片 4pcs

Tu0232

OP




Soft Shock Absorber Spring Set(Purple)
软-避震器弹簧组 (紫色)



Tu0236


OP




Rear hub carriers
后轮座 2pcs

Tu0237

OP




Rear Hub 1 Degree-L
后轮座1° -L 1pcs



Rear Hub 1 Degree-R
后轮座1° -R 1pcs

Tu0238


OP



Ceramic Ball 2.37mm
陶瓷珠 12pcs

Tu0240

OP



Carbon Front Shock Tower - Buggy
碳纤维前避震架-越野车 1pcs

H475

OP



Aluminium Motor Gear-15T
铝合金马达齿-15T 1pcs



3x3 Screw
1pcs

H476

OP




Aluminium Motor Gear-16T
铝合金马达齿-16T 1pcs



3x3 Screw
1pcs

H477

OP



Aluminium Motor Gear-17T
铝合金马达齿-17T 1pcs



3x3 Screw
1pcs

H478

OP



Aluminium Motor Gear-18T
铝合金马达齿-18T 1pcs



3x3 Screw
1pcs

H479

OP



Aluminium Motor Gear-19T
铝合金马达齿-19T 1pcs



3x3 Screw
1pcs

H480

OP



Aluminium Motor Gear-20T
铝合金马达齿-20T 1pcs



3x3 Screw
1pcs

H482

OP



Aluminium Motor Gear-22T
铝合金马达齿-22T 1pcs



3x3 Screw
1pcs

TR02C

SETUP SHEET for the
TeamC TR02C

TeamC
www.teamcracing.net


Driver _____
Track / City _____
Event _____ Date ____ / ____ / ____

Conditions


- | | | | |
|--|--------------------------------|---------------------------------------|---------------------------------------|
| ☐ Smooth | ☐ Bumpy | ☐ Low traction | ☐ Med traction |
| ☐ High traction | ☐ Sandy | ☐ Grass | ☐ Hard soil |
| ☐ Clay | ☐ Wet | ☐ Dry | ☐ Other |

Front Suspension

Shock Mounting&Camber link




Front Shocks




Rear Suspension

Shock Mounting&Camber link



Rear Shocks



Front Tires&Wheels

Front Tires _____
Inserts _____ Wheels _____

Rear Tires&Wheels

Rear Tires _____
Inserts _____ Wheels _____

Batteries

Servo _____
Esc _____
Batteries _____

Motor

Motor _____
Pinion/Spur _____ / _____

Other

Wing _____
Wing Angle ☐ 4° ☐ 10°

Comments

Notes _____



HOBBYPRO COMPANY LTD.

Flat C-D, 5/F.,

Speedy Ind. BLDG.,

114 How Ming Street,

Kwun Tong, KLN., Hong Kong.

Team C Headquarter

www.teamcracing.net

Team C America

www.teamcamerica.com


Team C Europe

www.teamceurope.com

Transmitter Preparation

A new Ni-MH battery must be charged before it is used. Refer to the charger instruction manual for charging.

Set up the radio control system as indicated below °



● Start


- 1 Install batteries.(Transmitter)
- 2 Extend the antenna.(Transmitter)
- 3 Connect the battery
- 4 Extend the antenna.(Receiver)
- 5 Center the trims.
- 6 Switch on.(Transmitter)
- 7 Switch on.(Receiver)
- 8 Make sure the servos are in command.

● Finish

- 9 Switch off.(Receiver)
- 10 Switch off.(Transmitter)
- 11 Retract the antenna(Transmitter)

Tools required

● Needle Nose Pliers



● Awl



● Grease



● Screw Cement



● Instant Glue



● Ball differential Grease(Clear)



● SP KINFE EDGE REAMER



● Wire Cutters



● ROUND CUTTER&SANDER



● Molybdenum Grease(Black)




● Hex Wrench



● Hex Wrench



No need to pre-drill precise holes
(1mm to 15mm) can be drilled




● Sharp Hobby knife




For trimming bodies!


1 Front Suspension



2 Front Suspension



3 Buffer



T02043 4.0 E-ring



1

T02080 3x6x2.5 Ball Bearing




4

T02136 Ball stud-Silvery



1

4 Buffer



T02044 4.5x5.4 Block Carrier



2

T02044 M3x10 Screw



2

T02060 Ball stud-Short




2

T02044 3x7x0.8 Washer



2


5 Front Suspension




T02082 M3x10 Screw



6 Front Suspension




T02079 5x10x4 Contain oil ball bearing




Assemble both Left and Right

7 Front Suspension




1:1 x1




Front Upper(Right)

1:1 x1




Front Upper (Left)

1:1 x2




Steering Tip


T02112 4.8mm Ball End(Long) T02045 3x54 Turnbuckle



8 Front Suspension



9 Front Suspension




T02082 M3x22 Screw T02082 M3x10 Screw T02117 5mm Plastic Ball stud




1:1 True-to -scale diagram

x2 Assemble as many times as specified

10 Differential 差速器



T02049 17x23x1 Washer



.....2

T02078 10x15x4 Contain oil ball bearing



.....2

T02077 5x8x2.5 Contain oil ball bearing



.....2

T02048 2.37mm Ball

.....12

T02007 M2.5 Nylon Nut




.....1

T02007 M2.5x25 Screw



.....1

11 Transmission




T02082 M3x12 Screw



.....1

T02051 5x16.8 Idler gear shaft



.....1

T02041 5x8 Top shaft spacer



.....1

T02079 5x10x4 Contain oil ball bearing



.....5

T02100 5x10x4 ball bearing




.....1




Apply grease

12 Rear Chassis



13 Motor Mount



Apply threadlocker(screw cement)