

INSTRUCTION MANUAL
AX90025-I001

KIT VERSION

YETITM

ROCK RACER

1/10th SCALE ELECTRIC 4WD



 **axial**[®]

www.axialracing.com



CAUTIONS



To prevent serious personal injury and/or property damage, operate all remotely controlled models in a responsible manner as outlined herein.

CHOOSE THE RIGHT PLACE TO OPERATE YOUR R/C MODEL.

- Do not run on public streets or highways. This could cause serious accidents, personal injuries, and/or property damage.
- Never run R/C models near people or animals.
- To avoid injury, do not run in confined spaces.
- Do not run where loud noises can disturb others, such as hospitals and residential areas.
- Never run indoors. There is a high risk of fire and/or damage.

INSPECT YOUR MODEL BEFORE OPERATION.

- Make sure that all screws and nuts are properly tightened. It is also a good idea to use removable thread lock wherever metal screws go into metal, especially for engine mounts and the engine pilot shaft.
- Always use fresh batteries for your transmitter and for your receiver to avoid losing control of the model.
- Always test the brakes and throttle before starting your engine to avoid losing control of the model.
- Make sure no one else is using the same radio frequency as you are using.

AFTER OPERATION OF YOUR R/C MODEL

- Turn off receiver first, then turn off transmitter, this will prevent runaways.
- Be careful when handling batteries, they will be hot after running.
- Replace any batteries that have been dented or have frayed wires, short circuits can cause fire.
- Be sure to keep your R/C model clean and free of excess dirt and grease, this will increase the life.

VORSICHT!



Um Verletzungen an Personen und/oder Sachschäden zu vermeiden, sollten alle ferngesteuerten Modelle sorgfältig und verantwortungsbewusst bedient werden, wie nachfolgend beschrieben.

Wählen Sie den richtigen Platz zum Fahren

- Fahren Sie niemals auf öffentlichen Straßen. Dies könnte Verkehrsunfälle, Personen schäden oder Sachschäden verursachen.
- Fahren Sie niemals in der Nähe von anderen Personen oder Tieren.
- Fahren Sie niemals auf belebten Straßen.
- Fahren Sie nie in der Nähe von Wohnhäusern oder Krankenhäusern. Der Lärm könnte andere Personen stören.
- Fahren Sie niemals in Innenräumen. Dort könnte etwas beschädigt werden.

Überprüfen Sie Ihr Modell, bevor Sie es in Betrieb nehmen.

- Gehen Sie sicher, dass alle Schrauben und Muttern festgezogen sind. Verwenden Sie überall dort Schrauben-Sicherungslack, wo Metallschrauben in ein Metallgewinde greifen, besonders bei den Motorhaltern.
- Um Störungen zu vermeiden, benutzen Sie immer voll geladene Akkus in Ihrem Sender und Empfänger.
- Bevor Sie den Motor starten, sollten Sie immer die Funktion der Bremse und des Gashebels testen.
- Gehen Sie sicher, dass niemand mit der gleichen Frequenz fährt wie Sie.

Nach Betrieb des RC Modells:

- Zuerst den Empfänger abdrehen, dann den Sender abdrehen um unkontrolliertes Durchgehen zu vermeiden.
- Seien Sie vorsichtig mit gebrauchten Akkus, sie können nach dem Gebrauch heiß sein.
- Ersetzen Sie Akkus/Batterien die beschädigt sind oder schadhafte Kabel aufweisen, sie können Kurzschlüsse oder Feuer verursachen.
- Halten Sie Ihr Fahrzeug sauber und entfernen Sie Schmutz und Schmierfett, damit erhöhen Sie die Lebensdauer Ihres Modells.

PRECAUTIONS



Afin d'éviter toutes blessures corporelles et/ou dommages environnants, veuillez procéder en toute responsabilité comme indiqué ci-dessous

Choisir le lieu adéquat pour faire rouler votre modèle.

- Ne jamais rouler dans les rues ou sur les routes ouvertes au public. Ceci peut provoquer de graves accidents.
- Ne jamais rouler près de personnes ou d'animaux.
- Pour éviter les blessures, ne pas rouler dans des espaces confinés.
- Ne jamais rouler où le bruit peut déranger, comme aux abords des hôpitaux ou des quartiers résidentiels.
- Ne jamais rouler à l'intérieur: les gaz d'échappement sont nocifs.

Contrôler votre modèle avant chaque utilisation.

- Vérifier que les vis et les écrous sont bien serrés. Il est très fortement conseillé d'utiliser du frein filet pour bloquer les vis qui sont en contact avec du métal et tout particulièrement les vis du moteur.
- Toujours utiliser des batteries bien chargées pour l'émission et la réception.
- Toujours vérifier les freins et la commande des gaz avant de démarrer.
- Vérifier qu'aucune autre personne n'utilise votre fréquence radio.

Après l'Opération De Votre Modèle de R/C

- Le virage du récepteur premier, alors virage de l'émetteur, ceci empêchera des fugitifs.
- Faire attention en contrôlant des piles, ils auront chaud après avoir couru.
- Remplacer n'importe quelles piles qui ont été cabossées ou a éraillé des fils, les court-circuits peuvent causer le feu.
- Être sûr de garder votre modèle de R/C nettoie et libère de terre et la graisse supplémentaires, ceci augmentera la vie.

Equipment needed / Benötigtes Zubehör / Equipement nécessaire

Radio Gear / Fernsteueranlage / Equipement Radio

Radio control system

• You will need a 2-Channel radio system with one servo, receiver, an electronic speed control with an ON/OFF switch.

Fernsteueranlage



• Sie werden ein 2-kanal Radio System mit einem Servo, Empfänger, eine elektronische Geschwindigkeitssteuerung mit einem Netzschalter brauchen.

Ensemble radiocommande


• Vous aurez besoin d'un système de radio de 2 Chaines avec un servo, le récepteur, un contrôle de vitesse électronique avec un interrupteur (on-off).

- 8AA Alkaline Dry Batteries.
- 8 St. AA Trockenbatterien.
- 8 piles type R6 pour votre radio commande.

8x



Wheel & Trigger Type
Pistolen-Griff Typ
Type Volant et gachette




Receiver
Empfänger
Récepteur

On/Off Switch
An/Aus-Schalter
Interrupteur M/A

Steering servo
Lenkservo
Servo de direction

Motor / Motoren / Moteur

540 or 550 Brushless Motor recommended.




Battery / Akku / Batterie


Battery / Akku / Batterie

Recommended Battery:
Standard 6-cell NiMH
Standard 2S Lipo

Max Size: 149mmx35mmx52mm




Tools Recommended / Benötigte Werkzeuge / Outillage




Hex wrench
Inbusschlüssel
Clé Allen


Socket driver
Steckdosezieher
Clé Douille



Side cutter
Seitenschneider
Pinces coupantes





Curved scissors
Schere
Ciseaux




Long nose pliers
Flachzange
Pinces à becs longs


Modeling knife
Modellermesser
Couteau de modéliste









AX31186
M4 Rod End Set **x1**



AX31111
Yeti™ Shock Tower and Body Post Set **x1**





AX80103
EXO Rear Light Bezel and Radiator Set **x1**



AX31104
Yeti™ Chassis Components **x1**


AX80111
EXO Lower Front Control Arms Set **x1**




AX80106
EXO Steering Knuckle Carrier Set **x1**




AX31110
Yeti™ Steering Knuckle Set **x1**




AX31113
Yeti™ Rear Sway Bar Mount Set **x1**




AX31122
Yeti™ Front Bumper Set **x1**




AX31107
2-Speed Hi/Low Transmission
Spur Gear Cover **x1**



AX31105
Yeti™ Chassis Electronic
Components **x1**




AX31067
Slipper Plate **x1**



AX31125
Yeti™ Fuel Cell **x1**




AX31059
Slipper Plate **x2**




AX31106
2-Speed Hi/Low Transmission Motor Mount **x1**




AX31178
2.2 Method Beadlock
Wheels - IFD™ Wheels - Black(2pcs) **x4**




AX80002
Diff Case - Small **x2**




AX31114
WB8-HD Driveshaft **x1**




AX31108
2-Speed Hi/Low Transmission Case **x1**




AX31065
Spur Gear 32P 64T **x1**




AX31109
Yeti™ Rear 4 Link Set **x1**




AX31068
Slipper Pad
32.8x15.2x1mm (2pcs) **x2**




AX31117
Y-380 Cage Top, Rear and Tire Carrier **x1**




AX31116
Y-380 Cage Front and inserts **x1**




AX31102
Yeti™ Rear Cage Components **x1**



AX31115
Y-380 Cage Sides (Left and Right) **x1**



AX31103
Yeti™ Molded Chassis Tub **x1**



AX31112
Yeti™ Front Bumper Set **x1**

AX31272
M4x55mm Turnbuckle **x2**

AX31273
M4x60mm Turnbuckle **x2**

AX30384
Steel steering Post **x2**

AX30147
Shock Shaft 3x53.5mm **x2**

AX31054
Shock Shaft 3x71mm **x2**

AX31129
2-Speed Hi/Lo Transmission Bottom Shaft (5x75mm) **x1**

AX31245
Stamped Link Plate 1 Lower **x4**



AX31155
Spring 14x90mm 1.14 lbs/in - Orange **x2**



AX30229
Spring 14x54mm 4.33 lbs/in - (Yellow) **x2**



AX30413
Slipper Spring 8.5x12 **x1**



AX31189
Aluminum Shock Body 12x59mm **x2**



AX31187
Aluminum Shock Body 12x41.5mm **x2**

AX30842
Pinion Gear 32P 16T (5mm shaft) **x1**


AX30395
Bevel Gear Set **x2**

AX30500
Heavy Duty Locker **x1**

AX30429
12mm Aluminum Hub **x4**

AX31060
Spring 13x9.25mm **x1**


AX30438
Machined Shock Piston 10mm - 1.2x2 **x4**



AX30385
Diff Gasket 16x25x0.5mm **x2**



AX31083
Radio Box Seals **x1**




AX31266 **x2**


AX31266 **x2**

AX31058
Yeti™ Rear Sway Bar **x1**

 **AX31083** x1
Radio Box Seals


 **AX31083** x1
Radio Box Seals


 **AX30382** x4
EXO Steering King Pin

 **AX31131** x1
T-Case Gear Set

 **AX31148** x2
WB8-HD Driveshaft Coupler Set

 **AX31148** x3
WB8-HD Driveshaft Coupler Set

 **AX30383** x1
EXO Heavy Duty Differential Input Shaft

 **AX30381** x2
EXO Heavy Duty Differential Output Shaft

 **AX31127** x1
2-Speed Hi/Lo Transmission Top Shaft (5x91mm)

 **AX31139** x1
Center Universal Shaft 103mm

 **AX31135** x1
Center Universal Shaft 103mm

 **AX30776** x1
Rear Axle Shaft 6x104.2mm

 **AX30776** x1
Rear Axle Shaft 6x160.2mm


 **AX31131** x1
T-Case Gear Set

 **AX31130** x1
High Speed Transmission Gear Set

 **AX31130** x1
High Speed Transmission Gear Set

 **AX31131** x1
T-Case Gear Set

 **AX31131** x1
T-Case Gear Set

 **AX30395** x2
Bevel Gear Set

 **AX30390** x2
Differential Gear Set

 **AX30390** x2
Differential Gear Set

 **AX31134** x1
2-Speed Hi/Lo Transmission Output Shaft

 **AXA1635** x1
M3x35mm Turnbuckle

 **AX31148**
4.5x6.5mm Joint Pin

x3

 **AXA1184**
O-Ring 7.5x1.5mm

x4

 **AXA1202**
O-Ring 3.5x2mm

x8

 **AXA1162**
O-Ring 5x1mm

x4

 **AX30113**
Rubber Bump Stop 3.6x7x4

x4

 **AX30112**
Shock Diaphragm 13x4.5mm

x4

 **AXA1069**
Washer 2.7x6.7x0.5 mm

x8

 **AXA1071**
Washer 4x8x0.5mm

x2

 **AX30163**
Pin 2x10mm

x5

 **AX31028**
Pin 2x11mm

x8

 **AX30170**
M3x22mm

x1

 **AXA1059**
6mm Body Clip

x5

 **AXA1393**
E2.5 e-clip

x2

 **AXA1391**
E4 e-clip

x3

 **AXA1213**
Bearing 5x8x2.5mm

x4

 **AXA1221**
Bearing 5x11x4mm

x18

 **AXA1230**
Bearing 10x15x4mm

x6

 **AXA1041**
M2.5 Nylon Locking Hex Nut

x4

 **AXA1052**
M3 Thin Nylon Locking Hex Nut

x18

 **AXA1053**
M3 Nylon Locking Hex Nut

x9

 **AXA1045**
M4 Nylon Lock Nut

x1

 **AX31250**
M4 Serrated Nylon Locking Nut

x4

 **AXA180**
M3x3mm Set Screw (Black)

x14

 **AXA0181**
M3x4mm Set Screw

x4

 **AXA291**
M4x4mm Set Screw (Black)

x1

 **AXA0113**
M3x6mm

x5

 **AXA114**
M3x8mm

x4

 **AXA115**
M3x10mm

x6

 **AXA116**
M3x12mm

x32

 **AXA117**
M3x15mm

x7

 **AXA118**
M3x18mm

x41

 **AXA119**
M3x20mm

x4

 **AXA121**
M3x30mm

x3

 **AX31119**
M3x35mm Hex Socket Button Head

x3

 **AXA0125**
M3x35mm Hex Socket Button Head Screw Shaft

x2

 **AXA0128**
M3x61mm Hex Socket Button Head Screw Shaft

x2

 **AXA144**
M3x8mm

x4

 **AXA146**
M3x12mm

x40

 **AXA0147**
M3x16mm

x9

 **AXA148**
M3x18mm

x13

 **AXA150**
M3x25mm

x2

 **AXA015**
M2x10mm

x12

 **AXA0023**
M2.6x8mm

x24

 **AXA013**
M2x6mm

x6

 **AXA087**
M3x16mm

x6

 **AXA196**
M4x12mm

x2

 **AXA091**
M3x30mm

x1

 **AXA0412**
M2.6x6mm

x2

 **AXA0109**
M3x10mm Oversized Flat Hex Socket

x4

 **AXA0413**
M2.6x8mm

x3

 **AX31061**
M2.6x18mm

x2

 **AXA0422**
M2.6x6mm

x18

 **AXA435**
M3x10mm

x2

 **AXA436**
M3x12mm

x7

 **AXA0437**
M3x15mm

x12

 **AXA440**
M3x25mm

x1

 **AXA0286**
M4x12mm

x6

Open Bag A

Open Plastic Bag 1



AXA015
M2x10mm

x4



AXA1393
E2.5 e-clip

x2




AX30390
10T Spider Gear

x2



AXA1162
O-Ring 4.6x1mm

x4



AX30390

13T Spider Gear


x2



AXA1230

Bearing 10x15x4mm


x2

**AX30395**

38T Bevel Gear

x1

1 Front




2 Front



AXA1221

Bearing 5x11x4mm

x2



AX30395

13T Bevel Gear HD


x1



AXA018

M3x4mm

x2



Option Parts




AX31182




Front Differential Locker

3 Front

-  **AXA146**
M3x12mm **x2**
-  **AXA0147**
M3x16mm **x4**
-  **AXA118**
M3x18mm **x2**
-  **AXA0286**
M4x12mm **x2**



Note Direction From Top



Option Parts




AX31169
Machined Body Post Mount
(Hard Anodized)


Option Parts




AX31170
Machined Front Shock Tower
(Hard Anodized)



AXA1230
Bearing 10x15x4mm **x2**




AX30385
Diff Gasket 16x25x0.5mm **x1**



AX30395
38T Bevel Gear **x1**


4 Rear




Option Parts



AX30401-36T/14T
AX30402-43T/13T
Heavy Duty Bevel Gear Set



AXA015
M2x10mm **x4**



AX30500
Heavy Duty Locker **x1**


AXA180
M3x3 mm **x2**

AXA1221
Bearing 5x11x4mm **x2**


AX30395
13T Bevel Gear HD **x1**

AXA115
M3x10mm **x4**


5 Rear



6



7



AXA015
M2x10mm **x4**

AX30776
Rear Axle Shaft 6x104.2mm **x1**

AX30776
Rear Axle Shaft 6x160.2mm **x1**

8 Rear



x4



x2



9



x1



x1




x1





x4



x4



B**Open Bag B****10 Front****Left****AXA1221**
Bearing 5x11x4mm **x2****AXA1230**
Bearing 10x15x4mm **x2****AX30382**
EXO Steering King Pin **x4****AXA0181**
M3x4mm **x4****AX31135**
EXO Front Universal Set 94MM **x2****Right****11****Left****AXA0125**
M3x35mm Hex Socket Button Head Screw Shaft **x2****AXA1053**
M3 Nylon Locking Hex Nut **x2****Right**

AXA146
M3x12mm **x4**



AXA121
M3x30mm




AXA0128
M3x61mm Hex Socket Button Head Screw Shaft

12

x2

x2

NOTE:
Do not over tighten.
Should move Freely.



AXA118
M3x18mm **x4**




AX31272
M4x55mm **x2**



AXA1053
M3 Nylon Locking Hex Nut **x2**

13

x2



38.5mm





AX31061
M2.6x18mm **x2**



AX31060
Spring 13x6.25mm **x1**




AX30384
EXO Steering Post Steel **x2**




AXA1213
Bearing 5x8x2.5mm **x4**

14



AXA0147
Hex Socket Flat Head M3x16mm **x2**

15






AXA0147
Hex Socket Flat Head M3x16mm **x2**



AX31273
M4x60mm **x2**

16

Right



Left



Right




38mm

Left



38mm

Right



Left




AXA117
M3x15mm **x2**



AXA146
Hex Socket Flat Head M3x12mm **x2**

17



C

Open Bag C

2

Open Plastic Bag 2



AX31148 x1
4.5x6.5mm joint Pin



AX31028 x1
Pin 2x11mm



AXA0286 x1
m4x12mm



AX31148 x1
WB8-HD Driveshaft Coupler Set



AX31139 x1
Center Universal Shaft 103mm



AXA1052 x1
M3 Thin Nylon Locking Hex Nut



AXA1635 x1
M3x35mm Turnbuckle




AXA118 x1
M3x18mm

AX80006 1
23 Airtronics / JR / KO


AX80006 2
24 Hitec

AX80006 3
25 Futaba

18



19



Option Parts



AX30834 23T
AX30835 24T
AX30836 25T

20



AXA0109
M3x10mm Oversized Flat Hex Socket **x4**



AXA0113
M3x6mm **x1**




AXA116
M3x12mm **x2**



AXA117
M3x15mm **x1**



AXA1052
M3 Thin Nylon Locking Hex Nut **x1**




21



AXA146
Hex Socket Flat Head M3x12mm **x6**



AXA148
M3x18mm **x5**





AXA117
M3x15mm **x3**



AX31119
M3x35mm HexSocket Button Head **x1**



AXA121
M3x30mm **x1**





AXA146
M3x12mm **x1**






AXA0413
M2.6x8mm **x2**

22




23






AX31083
Radio Box Seals **x1**



AX31083
Radio Box Seals **x1**

24




AXA146
Hex Socket Flat Head M3x12mm **x4**

25



AX31083
Radio Box Seals **x1**





AX30163
Pin 2x10mm **x2**



AXA1391
E4 e-clip **x2**



AXA1221
Bearing 5x11x4mm **x4**



AX31130
High Speed Transmission
Gear Set 26T **x1**



AX31130
High Speed Transmission
Gear Set 28T **x1**



AX31129
2-Speed Hi/Lo Transmission Bottom
Shaft (5x75mm) **x1**






AX31127
2-Speed Hi/Lo Transmission Top
Shaft (5x91mm) **x1**



AXA144
M3x8mm **x1**



AXA148
M3x18mm **x4**





AX30163 x1
Pin 2x10mm



AX31131 x1
T-Case Gear Set



AX31134 x1
2-Speed Hi/Lo Transmission Output Shaft



AXA1221 x6
Bearing 5x11x4mm



AX31131 x1
T-Case Gear Set



AX31131 x1
T-Case Gear Set



AX31131 x1
T-Case Gear Set



AXA0286 x1
M4x12mm







AX30383 x1
EXO Heavy Duty Differential Input Shaft



AXA146 x1
Hex Socket Flat Head M3x12mm



AXA150 x2
M3x25mm





AXA148
M3x18mm


x4

Option Parts



AX31156
Machined Adjustable Motor Mount (Hard Anodized)

28



AX30413
Slipper Spring 8.5x12

x1



AXA1045
M4 Nylon Lock Nut

x1

29

Option Parts




AX31163 Steel 56T
AX31162 Steel 60T
AX31161 Steel 64T
AX31160 Steel 68T

Option Parts



AX31164
Machined Slipper Plate (Hard Anodized) (2pcs)






AXA291
M4x4mm Set Screw (Black) **x1**




AXA146
Hex Socket Flat Head M3x12mm **x2**



AX30842
Pinion Gear 32P 16T - Steel
(5mm Motor Shaft) **x1**

30



AX31121
M4x12mm **x2**




AXA0413
M2.6x8mm **x2**



AXA1071
Washer 4x8x0.5mm **x2**

31







AXA146
M3x12mm

x6

32



E**Open Bag E****3****Open Plastic Bag 3****AXA118**
M3x18mm**x5****33****Option Parts****AX31167**
Machined Sway Bar Clamp (Hard Anodized) (2pcs)




AXA114
M3x8mm **x4**



AXA116
M3x12mm **x2**



AXA118
M3x18mm **x5**






AXA116
M3x12mm

x2

35



AXA118
M3x18mm

x2




AXA0181

M3x4mm Set Screw (Black)

x2

36



AX31148
4.5x6.5mm joint Pin **x1**

AX31028
Pin 2x11mm **x1**

AXA0286
m4x12mm **x1**

AX31148
WB8-HD Driveshaft Coupler Set **x1**

AX31148
WB8-HD Driveshaft Coupler Set **x1**

AXA144
M3x8mm **x1**

AX31148
4.5x6.5mm joint Pin **x1**

AX31028
Pin 2x11mm **x1**


AXA0286
m4x12mm **x1**

AX31148
WB8-HD Driveshaft Coupler Set **x1**


AX31148
WB8-HD Driveshaft Coupler Set **x1**

AXA144
M3x8mm **x1**

37



38





AXA146

M3x12mm


x2



AXA0147

M3x16mm

x1




AXA1059

6mm Body Clip

x1

39



AXA087

M3x16mm

x2




AXA146

M3x12mm

x3

40






AXA1052
M3 Thin Nylon Locking Hex Nut

x4



AXA118
M3x18mm

x4



AX31245
Stamped Link Plate 1 Lower

x4




AXA118
M3x18mm

x2



AXA1052
M3 Thin Nylon Locking Hex Nut

x2






AXA1053
M3 Nylon Locking Hex Nut **x1**



AXA091
M3x30mm **x1**

43



Option Parts



AX31244
Upper Link Plate Set (Aluminum) (4pcs)




AXA146
Hex Socket Flat Head M3x12mm **x6**

44

Option Parts



AX31165
Machined 4 Link Mounts
(Hard Anodized) (2pcs)






AXA119
M3x20mm **x2**



AX31119
M3x35mm HexSocket Button Head **x1**




AXA1052
M3 Thin Nylon Locking Hex Nut **x2**



AXA118
M3x18mm **x2**



AXA1052
M3 Thin Nylon Locking Hex Nut **x2**





AXA1041
M2.5 Nylon Lock Nut **x4**



AX30113
Rubber Bump Stop 3.6x7x4 **x4**



AXA1202
O-Ring 3.5x2mm **x8**



AXA1184
O-Ring 7.5x1.5mm **x4**



AXA1069
WASHER 2.7x6.7x0.5 **x8**



AX30438
Axial Delrin 10mm Machined Piston-1.2 **x4**





AX3118
Aluminum Shock Body 12x59mm **x1**



AX31187
Aluminum Shock Body 12x41.5mm **x1**

Front **x2**



Optional Lengths


AX80034 **7** -2mm
AX80034 **9** +2mm

AX31054
Shock Shaft 3x71 **x2**

AX30147
Shock Shaft 3x53.5 **x2**

Do Not
Over
Tighten

Rear **x2**





AX30112
Shock Diaphragm 13x4.5mm **x4**

Option Parts



(AX31136)


- AX30213**
Spring 14x90mm 1.32 lbs/in - (Red)
- AX30214**
Spring 14x90mm 1.71 lbs/in - (White)
- AX30215**
Spring 14x90mm 2.25 lbs/in - (Green)
- AX30216**
Spring 14x90mm 2.78 lbs/in - (Yellow)
- AX30217**
Spring 14x90mm 3.01 lbs/in - (Blue)

(AX31172)

- AX30226**
Spring 14x54mm 2.64 lbs/in - (Red)
- AX30227**
Spring 14x54mm 3.4 lbs/in - (White)
- AX30228**
Spring 14x54mm 3.85 lbs/in - (Green)
- AX30229**
Spring 14x54mm 4.33 lbs/in - (Yellow)
- AX30230**
Spring 14x54mm 4.95 lbs/in - (Blue)

48

x4



49



AX31155
Spring 14x90mm 1.14lbs/in - Firm (Orange) **x2**




AX30229
Spring 14x54mm 4.33lbs-in Firm (Yellow) **x2**

Front x2

Front
AX80033 **1**

Rear
AX31102 **2**

Rear x2



Option Parts



AX31173
Aluminum 93-137mm Shock Damper Set -
10mm Piston (2pcs)



AXA116
M3x12mm **x2**





AXA118
M3x18mm **x2**



AXA119
M3x20mm **x1**



AXA1053
M3 Nylon Locking Hex Nut **x2**






AXA118
M3x18mm

x4

51



52




AXA118
M3x18mm

x8



AXA1052
M3 Thin Nylon Locking Hex Nut






x4



Option Parts




AX31166
Machined Shock Mount Plates
(Hard Anodized) (2pcs)

H**Open Bag H****4****Open Plastic Bag 4****53****! Note Direction**



AXA435
M3x10mm Hex Socket
Tapping Button Head **x2**

54







AXA013
M2x6mm **x2**



AXA0422
M2.6x6mm **x4**

55







AXA117
M3x15mm **x2**




AXA436
M3x12mm **x3**




AXA013
M2x6mm **x4**

57



Optional 5mm LED lights and AX80049 Len(s) Installation Steps.




AXA436
M3x12mm **x2**



AXA437
M3x15mm **x6**

58





AXA436
M3x12mm


x2



AXA437
M3x15mm

x6


59



AXA422
M2.6x6mm

x4

60





AXA422
M2.6x6mm


x2



AXA412
M2.6x6mm Tapping Flathead

x2


61




AXA422
M2.6x6mm

x4

62





AXA1059
6mm Body Clip **x4**



AXA1053
M3 Nylon Locking Hex Nut **x2**






AXA440
M3x25mm **x1**




AXA115
M3x10mm **x2**

63






AXA116
M3x12mm **x24**



AXA0023
M2.6x8mm **x12**

! Note: Use correct parts.

Front x2





AXA0023
M2.6x8mm

x12

66

! Note: Use correct parts.

Rear **x2**



67



AXA180
M3x3mm

x4




AX31028
Pin 2.0x11mm

x4




AX31250
M4 Serrated Nylon Locking nut

x4



AX30429
12mm Aluminum Hub (Black)

x4




Front **x2** Rear **x2**

Central Assembly



[illegible][illegible]

[illegible]

AX31078


AXA0023

AX31250

Gear Ratio / Getriebeübersetzung

Use this equation to calculate the final drive ratio.
Final Drive Gear Ratio = (Spur/Pinion)x5.67

Mit dieser Gleichung können Sie die Gesamtübersetzung berechnen.
Gesamtübersetzung = (Spur/Pinion)x5.67




32 Pitch 38T/13T (Stock Gearing AX30392 or HD AX30395)				
	Spur Gear			
Pinion	56	60	64	68
11	28.85	30.91	32.97	35.03
12	26.44	28.33	30.22	32.11
13	24.41	26.15	27.90	29.64
14	22.67	24.88	25.90	27.52
15	21.15	22.67	24.18	25.69
16	19.83	21.25	22.67	24.08
17	18.67	20.00	21.33	22.67

32 Pitch 36T/14T (Overdrive HD Gearing AX30401)				
	Spur Gear			
Pinion	56	60	64	68
11	25.38	27.19	29.00	30.81
12	23.26	24.92	26.58	28.25
13	21.47	23.01	24.54	26.07
14	19.94	21.36	21.94	22.60
15	19.61	19.94	21.27	22.60
16	17.45	18.69	19.94	21.18
17	16.42	17.59	18.77	19.94

32 Pitch 43T/13T (Underdrive HD Gearing AX30402)				
	Spur Gear			
Pinion	56	60	64	68
11	32.64	34.97	37.31	39.64
12	29.92	32.06	34.20	36.33
13	27.62	29.59	31.57	33.54
14	25.65	27.48	29.31	31.14
15	23.94	25.65	27.36	29.07
16	22.44	24.04	25.65	27.25
17	21.12	22.63	24.14	25.65

Shock Tuning / Stossdämpferabstimmung



Pistons

Standard Pistons
Provides the same dampening rate on both compression and extension

AX80033 2 **Soft**
(2) 1.3mm holes

AX80033 **Medium**
(3) 1.2mm holes

AX80033 4 **Firm**
(3) 1.1mm holes

Less
↑
Dampening
↓
More

Variable Rate Pistons
Provides a different dampening rate depending on which direction you install.

AX80033 5

AX80033 6

AX80033 5

AX80033 6

AX80033 5

AX80033 6

Install this direction for faster rebound and slower compression

Install this direction for Slower rebound and faster compression

Springs/Oil

Springs

Depending on the application you may want a firmer spring than what is included. Selecting a spring rate is based on each vehicles weight and handling and usually will require some trial and error.

For rock crawling applications it is recommended to use a stiffer spring on which ever corner is exhibiting torque twist.

Oil

Oils are another element you can use to tune the handling of your vehicle. You want an oil that allows the vehicle to handle the terrain well, but not too thin as to exhibit a springy bounce while driving.

We recommend starting with a good 30 wt. silicone oil. If you are looking for a faster rebound/compression rate use a lower weight oil. If you are looking for a slower rebound compression rate use a higher weight oil.

10wt.

100wt.

Faster ← Dampening → Slower

Warranty Info

Axial Limited Warranty (USA)

Your Axial product is warranted to be free of defects in materials and workmanship when new. This warranty does not cover damages due to normal wear and tear, user's failure to perform routine maintenance, user error of assembly or installation, user modifications, addition of aftermarket parts or option parts. This warranty lasts as long as the original purchaser owns the product, and is not transferable (Verified by dated itemized sales receipt). In the event of a defect under this warranty, Axial will, at our discretion, repair or replace the product, provided our inspection indicates that an original defect exists. Axial reserves the right to replace any product which is no longer available with a product of comparable value and function. If Axial determines the repair is not covered under warranty guidelines, there could be a charge applied for the repair and return shipping charges.

International Customers Warranty

Please return product to the dealer where the purchase was made. If your Axial product purchase was made through an on-line retailer, any warranty issues must be taken care of by that retailer. Axial assumes no responsibility for Axial products sold internationally by on-line retailers.

Service

If you need service on your Axial product here are some simple steps to follow when sending in product in for Warranty/ Repair.

STEP 1:

Contact Axial Customer Service at 949-600-8642 Ext: 206 to receive a Return Merchandise Number (RMA#). **Note:** Axial requires the RMA# to be placed on the return merchandise box when shipped to Axial.

STEP 2:

Please write a short note explaining the issue you experienced with the product.

STEP 3:

Include your return address with a daytime phone number and /or e-mail address.

STEP 4:




Please include a Money Order in the amount \$10.00 made payable to Axial for return shipping costs although If product is found to be under Axial Warranty coverage, the \$10.00 will be refunded to you.

PLEASE NOTE: Tuning issues are not covered under the Axial Warranty and shipping fee's do apply.

Please allow 5-10 working days for product to be returned. Axial ships using United Postal Service Priority mail or UPS Ground. Any expedited shipping must be arranged and prepaid by customer. Axial will not be responsible for lost or damaged packages.

Battery Tray Access and Setup

1. Remove clip to open battery access door
2. Slide battery in to check height
3. Remove X4 M3x8mm AXA114 Screw
4. Drop battery clamp down to required battery height.
Snug fit required
5. Reinstall X4 M3x8mm AXA114 Screws




Rear Suspension Tuning Upper Link Adjustments

•AX31104 Mounts can be installed on either side of the AX31103 Chassis Tub


•Swapping the AX31104 mounts will provide a suspension more suited to low speed technical terrain. This also requires flipping the upper shock bushings. The RTR stock setup is more suited for high speed stability.

•Upper Shock bushings rotated to relocate shocks and line up with AX31109 Lower Links.

KIT




Option



•Moving the upper links at the chassis will change the anti-squat characteristics of the Yeti under power.

•RTR Stock: Upper hole, more Anti-Squat for more rear traction under power.

•Optional lower holes, less Anti-Squat for less rear traction under power.




Gear Mesh Adjustment

•Remove X2 M2.6x8mm AXA0413 Flatheads from AX31107 Spur Cover to gain access to spur and pinion

•Loosen X2 M4x12mm AX31121 Capheads from AX31106 Motor Mount Clamp

•Rotate the motor and motor mount assembly to fine tune gear mesh



Parts List

Part #	Description	Part #	Description
AX30112	Shock Diaphragm 13x4.5mm (6pcs)	AX80002	Diff Case -Small
AX30113	Rubber Bump Stop 3.6x7x4 (6pcs)	AX80006	Servo Set
AX30147	Shock Shaft 3x53.5mm (2pcs)	AX80018	Hardware Parts Tree
AX30163	Pin 2.0x10mm (6pcs.)	AX80033	10mm Shock Parts Tree 1
AX30170	Shaft 3 x 22 (2pcs)	AX80034	10mm Shock Parts Tree 2
AX30229	Spring 14x54mm 4.33 lbs/in - Firm (Yellow) - (2pcs)	AX80035	10mm Shock Caps Parts Tree
AX30381	EXO Heavy Duty Differential Output Shaft (2pcs)	AX80069	AR60 OCP Axle Housing
AX30382	EXO Steering King Pin (TiN Coated) (2pcs)	AX80070	AR60 OCP Differential Cover
AX30383	EXO Heavy Duty Differential Input Shaft (2pcs)	AX80071	AR60 OCP Straight Axle Adapter
AX30385	Diff Gasket 16x25x0.5mm (2pcs)	AX80072	AR60 OCP 4-Link Mount
AX30390	Differential Gear Set	AX80091	EXO Bulkhead
AX30395	Heavy Duty Bevel Gear Set - 38T/13T	AX80103	EXO Rear Light Bezel and Radiator Set
AX30413	Slipper spring 8.5x12 165 lbs/in - Black (2pcs)	AX80106	EXO Steering Knuckle Carrier Set
AX30429	12mm Aluminum Hub (Black) (4pcs)	AX80111	EXO Lower Front Control Arms Set
AX30438	Machined Shock Piston 10mm - 1.2x2 (4pcs)	AXA0023	M2.6x8mm Cap Head (Black) (10pcs)
AX30500	Heavy Duty Locker (2pcs)	AXA0109	M3x10mm Oversized Flat Hex Socket (Black) (10pcs)
AX30776	AR60 OCP Rear Axle Set (2pcs)	AXA0113	M3x6mm Hex Socket Button Head (Black) (10pcs)
AX30842	Pinion Gear 32P 16T (5mm shaft)	AXA0125	M3x35mm Hex Socket Button Head Screw Shaft (Black) (6pcs)
AX31028	Pin 2.0x11mm (6pcs)	AXA0128	M3x61mm Hex Socket Button Head Screw Shaft (Black) (6pcs)
AX31049	Helmet Set (Black)	AXA013	M2x6 mm Cap Head (Black) (10pcs)
AX31054	Shock Shaft 3x71mm (2pcs)	AXA0147	M3x16mm Hex Socket Flat Head (Black) (10pcs)
AX31058	Yeti™ Rear Sway Bar (3pcs) (Soft, Medium, Firm)	AXA015	M2x10mm Cap Head (Black) (10pcs)
AX31059	Slipper Plate Washer 33x1mm (2pcs)	AXA0181	M3x4mm Set Screw (Black) (10pcs)
AX31060	Servo Saver Spring 13x9.25mm 104 lbs/in (2pcs)	AXA0286	Screw Shaft M4x2.5x12mm (6pcs)
AX31061	M2.6x18mm Hex Socket Tapping Button Head (Black) (10pcs)	AXA0412	M2.6x6mm Hex Socket Tapping Flat Head (Black) (10pcs)
AX31065	Spur Gear 32P 64T	AXA0413	M2.6x8mm Hex Socket Tapping Flat Head (Black) (10pcs)
AX31067	Slipper Plate (2pcs)	AXA0422	M2.6x6mm Hex Socket Tapping Button Head (Black) (10pcs)
AX31068	Slipper Pad 32.8x15.2x1mm (2pcs)	AXA0424	M2.6x10mm Hex Socket Tapping Button Head (Black) (10pcs)
AX31077	2.2 Falken Wildpeak M/T - R35 Compound (2pcs)	AXA0425	M2.6x12mm Hex Socket Tapping Button Head (Black) (10pcs)
AX31083	Radio Box Seals	AXA0437	M3x15mm Hex Socket Tapping Button Head (Black) (10pcs)
AX31102	Yeti™ Rear Cage Components	AXA0440	M3x20mm Hex Socket Tapping Button Head (Black) (10pcs)
AX31103	Yeti™ Molded Chassis Tub	AXA087	M3x16mm Cap Head (Black) (10pcs)
AX31104	Yeti™ Chassis Components	AXA091	M3x30mm Cap Head - Black (10pcs)
AX31105	Yeti™ Chassis Electronic Components	AXA1041	M2.5 Nylon Locking Hex Nut - Silver (10pcs)
AX31106	2-Speed Hi/Lo Transmission Motor Mount	AXA1045	M4 Nylon Lock Nut (Black) (10pcs)
AX31107	2-Speed Hi/Lo Transmission Spur Gear Cover	AXA1052	M3 Thin Nylon Locking Hex Nut (Black)
AX31108	2-Speed Hi/Lo Transmission Case	AXA1053	M3 Nylon Locking Hex Nut (Black) (10pcs)
AX31109	Yeti™ Rear 4 Link Set	AXA1059	6mm Body clip (Black) (10pcs)
AX31110	Yeti™ Steering Knuckle Set	AXA1069	Washer 2.7x6.7x0.5 (10pcs)
AX31111	Yeti™ Shock Tower and Body Post Set	AXA1071	Washer 4x8x0.5mm (10pcs)
AX31112	Yeti™ Front Bumper Set	AXA114	M3x8mm Hex Socket Button Head (Black) (10pcs)
AX31113	Yeti™ Rear Sway Bar Mount Set	AXA115	M3x10mm Hex Socket Button Head (Black) (10pcs)
AX31114	WB8-HD Driveshaft	AXA116	M3x12mm Hex Socket Button Head - Black (10pcs)
AX31115	Y-380 Cage Sides (Left and Right)	AXA1162	O-Ring 5x1mm (10pcs)
AX31116	Y-380 Cage Front and inserts	AXA117	M3x15mm Hex Socket Button Head (Black) (10pcs)
AX31117	Y-380 Cage Top, Rear and Tire Carrier	AXA118	M3x18mm Hex Socket Button Head - Black (10pcs)
AX31119	M3x35mm Hex Socket Button Head (Black) (10pcs)	AXA1184	O-Ring 7.5x1.5mm (S8) - (10pcs)
AX31121	M4x12mm Cap Head (Black) (10pcs)	AXA119	M3x20mm Hex Socket Button Head (Black) (10pcs)
AX31122	Double Shear Steering Rack	AXA1202	O-Ring 3.5x2mm (10pcs)
AX31125	Yeti™ Fuel Cell	AXA121	M3x30mm Hex Socket Button Head (Black) (10pcs)
AX31127	2-Speed Hi/Lo Transmission Top Shaft (5x91mm)	AXA1213	Bearing 5x8x2.5mm (2pcs)
AX31129	2-Speed Hi/Lo Transmission Bottom Shaft (5x75mm)	AXA1221	Bearing 5x11x4mm (2pcs)
AX31130	High Speed Transmission Gear Set (48P 26T, 48P 28T)	AXA1230	Bearing 10x15x4mm
AX31131	T-Case Gear Set (32P 15T, 32P 15T, 32P 27T)	AXA1391	E4 e-clip (10pcs)
AX31134	2-Speed Hi/Lo Transmission Output Shaft (5x35mm)	AXA1393	E2.5 e-clip (10pcs)
AX31135	Universal Axle Set 94mm (2pcs)	AXA144	M3x8mm Hex Socket Flat Head (Black) (10pcs)
AX31139	Center Driveline Universal Shaft (103mm)	AXA146	M3x12mm Hex Socket Flat Head - Black (10pcs)
AX31140	Y-380 1/10th Scale Body - .040" (Clear)	AXA148	M3x18mm Hex Socket Flat Head (Black) (10pcs)
AX31141	Y-380 1/10th Scale Interior - .040" (Clear)	AXA150	M3x25mm Hex Socket Flat Head (Black) (10pcs)
AX31148	WB8-HD Driveshaft Coupler Set	AXA1635	M3x35mm Turnbuckle (2pcs)
AX31155	Spring 14x90mm 1.14 lbs/in - Orange (2pcs)	AXA180	M3x3mm Set Screw (Black) (10pcs)
AX31178	2.2 Method Beadlock Wheels - IFD™ Wheels - Black(2pcs)	AXA291	M4x4mm Set Screw (Black) (6pcs.)
AX31186	M4 Rod End Set	AXA435	M3x10mm Hex Socket Tapping Button Head (Black) (10pcs)
AX31187	Icon Aluminum Shock Body 12x41.5mm (2pcs)	AXA436	M3x12mm Hex Socket Tapping Button Head (Black) (10pcs)
AX31189	Icon Aluminum Shock Body 12x59mm (2pcs)	AXA464	M3x8mm Hex Socket Tapping Flat Head (Black) (10pcs)
AX31192	Steel Steering Post (2pcs)		
AX31245	Lower Link Plate Set (Aluminum) (4pcs)		
AX31246	M4x55 Turnbuckle (Aluminum) (2pcs)		
AX31247	M4x60 Turnbuckle (Aluminum) (2pcs)		
AX31250	M4 Serrated Nylon Lock Nut (Black) (10pcs)		
AX31266	IFD™ Hex Hub Adapter (2pcs Narrow, 2pcs Wide)		

Option Parts

Part #	Description	Part #	Description
AX08135	2.2 Raceline Renegade Wheels - 41mm Wide (Black) (2pcs)	AX31190	Icon Aluminum Shock Body 12x65mm (2pcs)
AX08137	2.2 Raceline Renegade Wheels - 41mm Wide (Chrome/Black) (2pcs)	AX31193	Shock Shaft 3x77mm (2pcs)
AX08141	2.2 Trail Ready HD Series Beadlock w/Slim Ring - IFD™ Wheels - Black(2pcs)	AX31244	Upper Link Plate Set (Aluminum) (4pcs)
AX08142	2.2 Trail Ready HD Series Beadlock w/Slim Ring - IFD™ Wheels - Chrome/Black(2pcs)	AX31249	Yeti™ Turnbuckle Set (Aluminum) (4pcs)
AX12015	2.2 Ripsaw Tires - R35 Compound (2pcs)	AX80085	Universal Mount 5 Bucket Light Bar (Black)
AX12021	2.2 BFGoodrich Krawler T/A - R35 Compound (2pcs)	AX80086	Light Bar Lenses (Clear) (5pcs)
AX12022	2.2 Maxxis Trepador Tires - R35 Compound (2pcs)	AX80115	Light Bar Lens Grills (Axial, PIAA, Un-Marked)
AX24010	Brushless 2900KV Electric Motor	AX80131	Helmet Set (White)
AX24251	Axial NVS - Night Visions System	AXA1076	Cap Head Washer M3x10mm (4pcs)
AX24252	Axial Double LED Light String (White LED)	AXA1101	Cone Washer 3x6.9x2mm (6pcs)
AX24253	Axial Double LED Light String (Red LED)	AXA1104	Cone Washer 3x6.9x2mm - Orange (6pcs)
AX24254	Axial Double LED Light String (Orange LED)	AXA1105	Cone Washer 3x6.9x2mm - Grey (6pcs)
AX24255	Axial Single LED Light String (White LED)	AXA1331	Flanged Ball 3x5.8x7mm (6pcs)
AX24256	Axial 5 LED Light String (White LED)	AXA1412	0.5x6mm Spacer - Grey (6pcs)
AX24257	Simple LED Controller w/LED lights (4 white and 2 Red)	AXA1413	1x6mm Spacer - Grey (6pcs)
AX24258	4 LED Light String (White LED)	AXA1414	2x6mm Spacer - Grey (6pcs)
AX30091	67-90mm Shock Set - 10mm Piston (2pcs)	AXA1415	3x6mm Spacer - Grey (6pcs)
AX30092	Axial 72-103mm Shock Set - 10mm Piston (2pcs)	AXA1416	4x6mm Spacer - Grey (6pcs)
AX30110	Axial Aluminum 13mm Aluminum Preload Collar (2pcs)	AXA1417	5x6mm Spacer - Grey (6pcs)
AX30111	Axial Aluminum Shock Cap (2pcs)	AXA1418	6x6mm Spacer - Grey (6pcs)
AX30120	Axial Aluminum Shock Body 12x47.5mm (2pcs)	AXA1419	7x10mm Post - Grey (2pcs)
AX30155	Shock Shaft 3x59.5 (2pcs)	AXA1420	7x15mm Post - Grey (2pcs)
AX30213	Spring 14x90mm 1.32 lbs/in - Red (2pcs)	AXA1421	7x20mm Post - Grey (2pcs)
AX30214	Spring 14x90mm 1.71 lbs/in - White (2pcs)	AXA1422	7x25mm Post - Grey (2pcs)
AX30215	Spring 14x90mm 2.25 lbs/in - Medium (Green)	AXA1423	7x30mm Post - Grey (2pcs)
AX30216	Spring 14x90mm 2.78 lbs/in - Firm (Yellow)	AXA1424	7x35mm Post - Grey (2pcs)
AX30217	Spring 14x90mm 3.01 lbs/in - Super Firm (Blue)	AXA1425	7x40mm Post - Grey (2pcs)
AX30226	Spring 14x54mm 2.64 lbs/in - Super Soft (Red) - (2pcs)	AXA1426	7x45mm Post - Grey (2pcs)
AX30227	Spring 14x54mm 3.4 lbs/in - Soft (White) - (2pcs)	AXA1427	7x50mm Post - Grey (2pcs)
AX30228	Spring 14x54mm 3.85 lbs/in - Medium (Green) - (2pcs)	AXA1428	7x55mm Post - Grey (2pcs)
AX30230	Spring 14x54mm 4.95 lbs/in - Super Firm (Blue) - (2pcs)	AXA1429	7x60mm Post - Grey (2pcs)
AX30401	Heavy Duty Bevel Gear Set - 36T/14T	AXA1430	7x65mm Post - Grey (2pcs)
AX30402	Heavy Duty Bevel Gear Set - 43T/13T	AXA1431	7x70mm Post - Grey (2pcs)
AX30709	Universal 5 Bucket Light Bar Set		
AX30811	EXO™ Machined Aluminum Front Toe Block F1 (Hard Anodized)		
AX30829	AR60 OCP Machined Low-Profile Differential Cover		
AX30830	Axial AR60 OCP Machined Link Mounts		
AX30831	AR60 OCP™ Front Axle Set (Complete)		
AX30834	Aluminum Servo Horn 23T		
AX30835	Aluminum Servo Horn 24T		
AX30836	Aluminum Servo Horn 25T		
AX30837	Pinion Gear 32P 11T (5mm shaft)		
AX30838	Pinion Gear 32P 12T (5mm shaft)		
AX30839	Pinion Gear 32P 13T (5mm shaft)		
AX30840	Pinion Gear 32P 14T (5mm shaft)		
AX30841	Pinion Gear 32P 15T (5mm shaft)		
AX30843	Pinion Gear 32P 17T (5mm shaft)		
AX31074	IFD™ Hex Hub Conversion Set (12mm) (4pcs)		
AX31097	3 Port High Output LED Controller		
AX31098	8 LED Light String (White LED)		
AX31136	Icon 87-125mm Aluminum Shock Set - 10mm Piston (2pcs)		
AX31152	Universal Rigid Light Bar Set		
AX31153	Spring 14x90mm 0.90 lbs/in - Black (2pcs)		
AX31154	Spring 14x90mm 1.01 lbs/in - Purple (2pcs)		
AX31156	Machined Adjustable Motor Mount (Hard Anodized)		
AX31160	Steel Spur Gear 32P 68T		
AX31161	Steel Spur Gear 32P 64T		
AX31162	Steel Spur Gear 32P 60T		
AX31163	Steel Spur Gear 32P 56T		
AX31164	Machined Slipper Plate (Hard Anodized) (2pcs)		
AX31165	Machined 4 Link Mounts (Hard Anodized) (2pcs)		
AX31166	Machined Shock Mount Plates (Hard Anodized) (2pcs)		
AX31167	Machined Sway Bar Clamp (Hard Anodized) (2pcs)		
AX31169	Machined Body Post Mount (Hard Anodized)		
AX31170	Machined Front Shock Tower (Hard Anodized)		
AX31171	Icon 72-103mm Aluminum Shock Set - 10mm Piston (2pcs)		
AX31172	Icon 67-90mm Aluminum Shock Set - 10mm Piston (2pcs)		
AX31173	Icon 93-137mm Aluminum Shock Damper Set - 10mm Piston (2pcs)		
AX31174	Y-380 1/10th Scale Body - .040" (Pre-Painted) (White, Blue, Pink)		
AX31182	Front Differential Locker		
AX31188	Icon Aluminum Shock Body 12x47.5mm (2pcs)		



EXPLORE

facebook.com/axialinc | twitter.com/axialrc | youtube.com/axialvideos | flickr.com/axialrc



26022 PALA
MISSION VIEJO, CA 92691

AX90025-1001

www.axialracing.com