S35-5e

1/8 Off Road Brushless Power Pro Buggy



SWORKz S35-5e INSTRUCTION MANUAL

S35-5e

1/8 Off Road Brushless Power Pro Buggy

INTRODUCTION

SWORKz S35-5e – The Next Evolution in 1/8 Electric Buggy Racing
Building on the proven success of the SWORKz S35-4e EVO platform, the all-new SWORKz S35-5e has been developed for an even higher level of racing performance.
The well-known and successful geometry of its predecessor has been carefully optimized in key areas, delivering higher cornering speeds, increased traction, and a more forgiving driving feel—without changing the fundamental driving character.
The result is a buggy that remains predictable and easy to control, while offering increased consistency and confidence across a wide variety of track conditions.

High-Performance Chassis Platform
The S35-5e is built around a lightened T7075 hard-anodized aluminum chassis, based on the proven wheelbase layout of the S35-4e EVO, which has been extensively used by SWORKz factory drivers.

Drivetrain and Gearbox Technology
The S35-5e drivetrain is designed for high adaptability across different track and grip conditions. The high-quality and successful SWORKz HET differential system from the S35-4e EVO is included as standard, ensuring proven performance and reliability.
An optional 0.8-module spur gear and pinion gear system is available for more efficient and consistent power delivery. The gearbox features adjustable differential and pinion gear heights for fine tuning the drivetrain setup. The 0 (low) position is identical to the S35-4e EVO differential position, providing a familiar baseline setup.

New Sway Bar System (S35-5e)
The S35-5e features a new sway bar system integrated into the latest gearbox design.
The new sway bar mounts are supported by ball bearings, allowing the sway bars to move more freely and smoothly while enabling a more precise and consistent adjustment.
This improvement results in a more optimized suspension response, providing increased precision, smoother operation, and higher overall consistency.

Proven Steering System with Enhanced Ackermann Option
The S35-5e is equipped with the proven steering system carried over from the S35-4e EVO, ensuring reliable, consistent, and well-balanced steering characteristics.
A +5 Ackermann plate is included in the kit to increase steering response. For further setup flexibility, an optional +10 Ackermann plate is available, offering maximum steering angle and enhanced steering performance on tight, technical tracks with multiple 180-degree hairpins

Proven Battery and Electronics Layout
The S35-5e adopts the successful battery and electronics layout from the S35-4e EVO, which has proven itself over many races.
The flat, side-by-side battery configuration provides a very well-balanced weight distribution, resulting in excellent handling, stable jumping characteristics, and high consistency on track.
As with the S35-4e EVO, the layout can also be reconfigured to a single-sided battery position to run a 4S battery pack. This ensures full compatibility with all common battery types, allowing drivers maximum flexibility when choosing their electronics setup.

Suspension Arm Components
The S35-5e is equipped with LCD (Large Caster Design) front upper arms, which were already available as an option on the S35-4e EVO and have proven their performance and durability over several years of racing.
To improve durability and cleanliness, plastic covers for the front and rear lower suspension arms are included. These covers provide effective protection against dirt and debris while also giving the buggy a cleaner and more aggressive appearance.

New-Generation Shock System
The shock system of the S35-5e has been completely updated:
- **New high-quality X-rings for smoother shock action and improved sealing**
- **New double-line shock towers:**
  - **Upper line based on the proven S35-4e EVO design**
  - **Lower line optimized for high-grip tracks, offering a lower center of gravity and more precise handling**
- **All-new Samurai Competition spring line, developed specifically for improved balance and consistency**

Together, these changes significantly enhance shock performance and overall vehicle control.

Precision Manufacturing and Materials
All SWORKz plastic parts are produced using high-precision injection molding machines, ensuring exceptional fit, durability, and consistency.

Designed for Every Level of Racer
Numerous additional refinements are integrated into the S35-5e. Designed and tested by the entire SWORKz team, this buggy represents a true evolutionary step.
A modern racing buggy must offer:
- **Extensive setup possibilities for professional drivers**
- **A reliable base setup that works on most tracks for hobby racers**

The SWORKz S35-5e perfectly fulfills both requirements.

Welcome to SWORKz
Congratulations on purchasing the SWORKz S35-5e 1/8-scale off-road racing buggy Pro Kit, and thank you for trusting SWORKz.
Please read this manual carefully before building and driving your S35-5E. It contains step-by-step instructions to help you assemble, prepare, and fine-tune your buggy for racing. Updates, setups, and product news are shared regularly across all SWORKz digital media platforms.
If you have any questions or need assistance, please contact your official SWORKz dealers or distributors at any time.

S35-5e Kit Features:

- **T7075 Hard Anodized, Lightened Aluminum Chassis (New)**
- **Quick Diff release Gearbox System (New)**
- **Adjustable Diff and Pinion Gear Height System (New)**
- **Ball Bearing guided Sway Bar System (New)**
- **Double line Shock Towers positions (New)**
- **Samurai Competition Shock Springs (New)**
- **Teflon Coated Durable Shock Shafts**
- **SWORKz 1/8 BBS Precision Plastic Shock Piston**
- **Fixed Shock Spring Holder (New)**
- **AL7075 Aluminum Ackerman Steering Plate (+5) (New)**
- **Savor Servo Steering System**
- **Steering Knuckle Plates**
- **Updated Toe In Plates with Square Inserts (New)**
- **Aluminum Intensity F/F and R/F Narrow Lower Suspension Plate (New)**
- **Lightweight Wing Mount**
- **Lower Arm Plastic Covers (New)**
- **Composite Rear Hubs with Carbon Plates**
- **Anticlock Screws for Shocks**
- **Aerodinamically Optimized Falcon ST-5 Body Shell (New)**
- **3 HET Differentials Included**
- **More Balance Weight Positions**
- **Optimized Composite Material**
- **Aluminium Parts in T7075**



Specification	
Length:	510mm
Width:	308mm
Height:	220mm
Ground Clearance:	65mm
Wheelbase:	325-330mm
Track:	F:304mm / R:306mm
Gear Ratio:	C:46/16T, F/R 43/13T
Weight:	3680g (Race condition)

WARRANTY

Your SWORKz S35-5e kit warranty covers workmanship and manufacturing defects of the original and unmodified parts. Warranty claims resulting from crashes, abuse, improper operation, improper mounting, improper adjustment or lack of maintenance will not be honored.

Contact your local hobby shop or SWORKz distributor for all claims and questions. Claims must be well documented. All Claims are subject to expert examination approval by SWORKz.

www.sworkz.com

INDEX

Instruction	2
Warranty	3
Required Equipment for Operation	5
Operation Guide	6
Assembly Steps	7-31
Set-up Sheet	32-33
S35-5e Part No. List	36-37
S35-5e Spare Part No. List	37-38
S35-5e Option Part No. List	39
End cover	40




This radio controlled racing car is not a toy!


This high-performance R/C model is recommended for ages 14 and older.

Required Equipment for Operation


Radio Gear



Brushless Motor




Charger and LiPo Battery




Tools Recommended


SST-PRO SUPER STIFF TOOLS



SW-620020-15 SWORKz SST-Pro 1.5mm HEX Wrench




SW-620020-20 SWORKz SST-Pro 2.0mm HEX Wrench



SW-620020-25 SWORKz SST-Pro 2.5mm HEX Wrench




SW-620025 SWORKz SST-Pro Shorty 7.0mm Socket Driver




SW-620026 SWORKz SST-Pro Shorty 5.5mm Socket Driver


Long nose pliers



Side cutter




Curved scissors




Paint




Modeling knife



Instant cement



Thread lock




Double-sided tape





Included items

Hex wrench



Glow plug wrench






Grease


Operation Guide



Assemble front and rear



Assemble in the specified order




Assemble both left and right sides



Assemble for 2 sets



Assemble for 4 sets




overturn



Thread Locking Compound



Grease



Pure Silicone Oil



Air filter oil

Safety Precautions

The SWORKz S35-5e is a high performance radio controlled model which needs to be operated with caution and common sense.
The S35-5e Pro Kit is not intended for children under the age of 14 without adult supervision. SWORKz shall not be held liable for any loss or damages, whether direct, indirect, act of nature, arising from the abuse or misuse of this product or any other product required while operating this model.
- The LiPO Battery can be dangerous is improperly handled.
- Always keep your LiPO Battery in a cool area and never use near flame, sparks, or while smoking.
- Keep your LiPO Battery, and all other flammables, out of the reach of children.
- After running your car, all parts of the Motor and ESC can become extremely hot. Be careful not to touch these parts.
- This model is controlled by your radio and that is vulnerable to interference from many outside sources. This interference can cause a loss of control so it is necessary to operate this model in an open area to avoid personal, or property damage. Always ensure turning on your radio first.
- Keep all the products included in the package out of reach of children.
- This model contains many fast rotating parts. Never touch them during operation.
- Follow the instruction included with your radio gear.
- Never operate your model near people or property. The speed of this model has the potential for injury and or damage to people and or property.
- Always use original SWORKz spare and option parts.
- Always encure the buggy is in proper working condition before use.
- Always exercise caution when using any and all tools.

BAG B

330015
Pin M2.2x9.9mm ***x4***


400002
O-ring S5 4.8X1.5 ***x4***

101027
Washer 5x14x0.5 ***x2***

101039
Washer 5x12x0.3 ***x2***

116006R
Ball Bearing 8x16x5mm (Red Rubber Case) ***x4***

1 F R x2



Pro Tip:
Using big washer 101027 5x14x0.5mm for the crown gear side.
Using small washer 101039 5x12x0.3mm for the diff. case side.


Remember to apply a light coat of grease to the o-ring, then slide it over the shaft of the out drive and seat it in the diff case.
Insert the pin through the hole in the diff case and through the hole in the shaft of the out drive.

2 F R x2

108001
M3x12mm FH/ST HEX Screw ***x8***

338025
S35-3W Bevel Gear Shaft ***x4***

101004
Washer 3.5X10X0.2mm ***x8***



Fill the differentials with oil up to 80% above the satellite gears.
Put the SWORKz Diff. Oil 15000cps for the front Diff. and 7000cps for the rear Diff.

BAG C

330015
Pin M2.2x9.9mm **x2**

400002
O-ring S5 4.8X1.5 **x2**

101027
Washer 5x14x0.5 **x1**

101039
Washer 5x12x0.3 **x1**


116006R
Ball Bearing 8x16x5mm (Red Rubber Case) **x2**

108001
M3x12mm FH/ST HEX Screw **x4**

338025
S35-3W Bevel Gear Shaft **x2**

101004
Washer 3.5X10X0.2mm **x4**


3




Pro Tip:
Using big washer 101027 5x14x0.5mm for the spur gear side.
Using small washer 101039 5x12x0.3mm for the diff. case side.

Remember to apply a very light coat of grease to the o-ring, then slide it over the shaft of the out drive and seat it in the diff case. Insert the pin through the hole in the diff case and through the hole in the shaft of the out drive.

4





Fill the differentials with oil up to 80% above the satellite gears. Put the SWORKz Diff. Oil 15000cps for the center Diff.

Before going to STEP 5 Front Gear Box assembly, please read the following Gear Box Eccentric Informational first.

How does changing the diff height effect your car:

Increasing the differential height increases the car's roll stiffness, although it reduces its ability to absorb bumps effectively.

A higher differential height is also recommended when lowering the chassis ride height to approximately 17–18 mm at the front and 22–23 mm at the rear, as it improves forward traction.
Reducing the differential height allows the car to roll more, making its handling smoother and more forgiving. It also improves performance on bumpy tracks, although it slightly reduces rear-end support.

How to install pinion gear inserts and diff height inserts:

1. Make sure that you are using the correct pinion gear inserts for front and rear. The inserts are marked with and F or R to show to which end they belong. Some inserts show a F and R what mean that they can be used for Front and Rear. Make sure to install them in the correct way for the specific height -> like shown on the garfics in the manual.


2. Make sure to use the correct diff inserts. There are two different insert types for 3 diff heights in total. The 1.5mm inserts are for the center position and don't have any top or bottom side.
The 0/3 inserts are for the low and high positions. Make sure to place the correct side up or down to match your pinion gear height. If the 0/3 mark is placed on top, your diff will be in the low position while placing the 0/3 mark on bottom, your diff will be in the high position.




3. Please double check the insert garfics for front and rear end.
It shows if your pinion gear inserts and diff inserts are matching together for the specific height which you wanna race. Also you can check, how you need to position the inserts correctly.




How to change pinion gear inserts and diff height inserts:

For maximum stability and reliability, our gearbox is designed very precisely and tight to reduce any kind of play to offer a long lifetime for pinion gear and crown gear. Therefore, the space to take out and put in the diff is very limited and you need to follow a specific way to take out / put in your diff.
Put in your diff -> Hold your diff in front of the gearbox with the inserts being verticaly positioned. Then turn the diff inserts by 45 degree to the front and place the diff into the gearbox and push it carefully down. The diff will slide down the gearbox into his final position. After sliding down the diff, turn the diff inserts backwards by 45 degree to position them verticaly again. Your diff and diff inserts have reached the final position and you can close the gearbox with the gearbox cover.
Put out your diff -> Turn the diff inserts by 45 degree to the front. Then you can pull the diff out. Pull it out in the same direction as it slided into the gearbox before.


Gear Box Eccentric Info.



Front Gear Box Eccentric Info.		
A↑UP	0-0	
BUP↑	1.5-1.5	
CUP↑	3.0-3.0	

Rear Gear Box Eccentric Info.		
A↑UP	0-0	
BUP↑	1.5-1.5	
CUP↑	3.0-3.0	

BAG D 5 Front



Note:
The aluminum front lower arm holder (338059) can offer 0° or 1° kick-up for your front lower suspension.
You may use the inserts 228001DG (#10) kick-up or 228001DG (#9) to get 1° for your front lower suspension.

Pro Tip:
Before installing the M5x4 set screw (104010), remember to clean the set screw and center driver joint (330661A) first.
Then apply TLC on the set screw.

106020
M2.5x5mm Hex Socket OH/TP Screw ***x4***

106002
M3x10mm Hex Soket OH/TP Screw ***x10***

108005
M3x14mm FH/ST HEX Screw ***x4***




104010
M5x4mm Set Screw (Flat Bottom) ***x2***



116019R
Ball Bearing 5x13x4mm (Red Rubber Case) ***x4***




338011
S35 series Pinion Gear Stopper (5x7x5.1mm) ***x2***




101018
SHIM 13x16x0.2mm ***x4***

Front Gear Box Eccentric Info.		
A↑UP	0-0	
BUP↑	1.5-1.5	
CUP↑	3.0-3.0	



Note:
101018SHIM 13x16x0.2mm
Please use 13x16x0.2mm shims to adjust the play between the crown gear and pinion gear.
Standard suggestion is 1pc shim on the diff crown gear side and 1 pcs on the other side.

6 Rear



Pro Tip:
Before installing the M5x4 set screw (104010), remember to clean the set screw and center driver joint (330661A) first. Then apply TLC on the set screw.

Note:
101018SHIM 13x16x0.2mm
Please use 13x16x0.2mm shims to adjust the play between the crown gear and pinion gear. Standard suggestion is 1pc shim on the diff crown gear side and 1 pcs on the other side.

Rear Gear Box Eccentric Info.

A↑UP	0-0	
BUP↑	1.5-1.5	
CUP↑	3.0-3.0	

BAG E1

7 L R x2




330664
SWORKz 1/10 Linkage Ball Stud D5.5mm x L10mm) ***x2***



106003
M3x16mm Hex Soket OH/TP Screw ***x2***



106021A
M4x10mm Hex Socket OH/TP Screw ***X2***




Pro Tip:
Use a drop of CA glue at the arm holes to make sure that the plastic arm covers are sitted securely.

BAG E1

8


OPTION:
SW-228005S-F S35-4 Series Front Lower Arm in Soft Material (1PC)
SW-228005M-F S35-4 Series Front Lower Arm in Medium Material (1PC)



338056
S35-4 Series Lower Arm Hinge Pin (68.5mm) x2

9


OPTION:
SW-339023-2.2 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.2mm)(2PC)
SW-339023-2.5 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.5mm)(2PC)
SW-339023-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.8mm)(2PC)



Note:
When tight the 104005 set screws, the 339008-2.5 must be on same position. Please set up the 339008-2.5 on the sway bar mark position.

104005
M3x4mm Set Screw x4

OPTION:
SW-339008-2.2 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.2mm)(RD)(2PC)
SW-339008-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.8mm)(RD)(2PC)




OPTION:
SW-118005-2.0 SWORKz S35-5 Series Front Sway Bar 2.0mm
SW-118005-2.1 SWORKz S35-5 Series Front Sway Bar 2.1mm
SW-118005-2.4 SWORKz S35-5 Series Front Sway Bar 2.4mm
SW-118005-2.5 SWORKz S35-5 Series Front Sway Bar 2.5mm
SW-118005-2.6 SWORKz S35-5 Series Front Sway Bar 2.6mm
SW-118005-2.7 SWORKz S35-5 Series Front Sway Bar 2.7mm
SW-118005-2.8 SWORKz S35-5 Series Front Sway Bar 2.8mm

BAG E1

10

106013
M2.5x8mm Hex Socket OH/TPScrew ***x4***




11


106008
M3x8mm FH/ST HEX Screw ***x2***

108003
M3x10mm FH/ST HEX Screw ***x2***

106002
M3x10mm Hex Socket OH/TP Screw ***x1***



Note:
The aluminum front upper arm holder (338057A) can offer either 0° or + -1° kick-up for your front upper arm suspension.
You may use the inserts 228001DG (#13) to get 0° kick-up or 228001DG (#12) to get +-1° for your front upper suspension.



BAG E1


12


330119
Front Upper Arm HingPin x2

106020
M2.5x5mm Hex Socket OH/TP Screw x10

106015
M3x5mm Hex Socket OH/TP Screw x2

108001
M3x12mm FH/ST HEX Screw x4





Note:
2503260-1
S35-3 Front Upper Arm Adjust Insert (0.9mm)
2503260-2
S35-3 Front Upper Arm Adjust Insert (1.0mm)
2503260-3
S35-3 Front Upper Arm Adjust Insert (1.1mm)
2503260-4
S35-3 Front Upper Arm Adjust Insert (2.0mm)

OPTION:
SW-228024H
SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Hard Material

103004
M2.5mm Nut Lock x4

330664
Linkage Ball Stud D5.5mm x L10mm) x2


106003
M3x16mm Hex Soket OH/TP Screw x2


106021A
M4x10mm Hex Socket OH/TP Screw X2

106022
M2.5x14mm Hex Soket OH/TP Screw x4

13 L R x2

Pro Tip:
Use a drop of CA glue at the arm holes to make sure that the plastic arm covers are sitted securely.






OPTION:
348003-10
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.0mm)(2PC) 348003-15
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.5mm)(2PC) 348003-20
SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(2.0mm)(2PC)

OPTION:
228015S SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Soft)(1PC) 228015M SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Medium)(1PC) 228015U SWORKz
S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Ultra-Hard)(1PC)

14

106002
M3x10mm Hex Socket OH/TP Screw *x1*

108001
M3x12mm FH/ST HEX Screw *x6*




15

108005
M3x14mm FH/ST HEX Screw *x2*

338056
S35-4 Series Lower Arm Hinge Pin (68.5mm) *x2*

PRO TIP:
The S35-5 uminum Rear Lower Fully Adjustable Toe-In Block (338139) can use 3 types of square inserts to get 1.0/2.0/3.0 3 different toe in angles. Also plus 3 different rear lower arm kick up degrees.

OPTION:
SW-338139-3.5
S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3.5 degree)




PRO TIP:
228001DG-2 S35-4 Series Rear Lower Arm Holder Square Insert (+1/+1)
228001DG-3 S35-4 Series Rear Lower Arm Holder Square Insert (0/+1)
228001DG-4 S35-4 Series Rear Lower Arm Holder Square Insert (0)

104005
M3x4mm Set Screw ***x4***


16

OPTION:
SW-339008-2.5 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.5mm)(RD)(2PC)
SW-339008-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Holder (2.8mm)(RD)(2PC)

OPTION:
SW-339023-2.5 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.5mm)(2PC)
SW-339023-2.8 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.8mm)(2PC)
SW-339023-3.0 SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(3.0mm)(2PC)




Note:
When tight the 104004 set screws, the 339008-3 must be on same position. Please set up the 339008-2.5 on the sway bar mark position.



OPTION:
118006-2.4 SWORKz S35-5 Series Rear Sway Bar 2.4mm
118006-2.5 SWORKz S35-5 Series Rear Sway Bar 2.5mm
118006-2.7 SWORKz S35-5 Series Rear Sway Bar 2.7mm
118006-3.0 SWORKz S35-5 Series Rear Sway Bar 3.0mm

17

106013
M2.5x8mm Hex Socket OH/TPScrew ***x4***



BAG E2

18



116004R
Ball Bearing 6x10x3mm (Red Rubber Case) ***x2***



117003
Flange Ball Bearing 3x6x2.5mm ***x4***



101034
M3x5xT0.1mm ***x4***



101012
M3x6xT0.6mm ***x2***




103001
M3mm Nut Lock ***x2***



105018
M2x6mm Cap Screw ***x1***



106007
M3x12mm Hex Socket OH/TP Screw(HT) ***x2***




PRO TIP:
For some track corner conditions, you may need a big steering angle, there is an option part SW-338142P will give you the solution.

19




108003
M3x10mm FH/ST HEX Screw ***x2***



101019
SHIM 6.0x10.0x0.2mm ***x1***



116004R
Ball Bearing 6x10x3mm (Red Rubber Case) ***x2***




BAG E3


20 L R x2




106002
M3x10mm Hex Socket OH/TP Screw ***x4***



338122L
S35/S350/Apollo Series
Lightened Steering Knuckle
Pivot Ball Turnbuckle (Anti-Clockwise) ***x2***




338122R
S35/S350/Apollo Series
Lightened Steering Knuckle
Pivot Ball Turnbuckle (Clockwise) ***x2***



Screw and adjust 330118A Knuckle Pivot Ball Nut so as the pivot ball can be moved smoothly.


21 1 2 3 L R x2




116006R
Ball Bearing 8x16x5mm (Red Rubber Case) ***x4***




104010
M5x4mm Set Screw (Flat Bottom) ***x2***



330124
Pin M3.0x16.8mm ***x2***




101018
SHIM 13x16x0.2mm ***x2***




OPTION:
SWC-218007A
S35 Series Evolution-CVA Drive Shaft Set 92.5mm (1 Set)

SWC-218007D
S35 Series Advance-CVD Drive Shaft Set 92.5mm (1 Set)



Note:
101018SHIM 13x16x0.2mm
Please use 13x16x0.2mm shims to adjust the gap between the wheel hub and wheel knuckles. Standard suggestion is 1pc shim on the outside between 8x16x5mm ball bearing and knuckle.
If the wheel hub still has big play with knuckle, please try to put another shim in another side between ball bearing and knuckle.

BAG E3 22



BAG E3 23

104010
M5x4mm Set Screw (Flat Bottom) **x2**

330124
Pin M3.0x16.8mm **x2**

116006R
Ball Bearing 8x16x5mm (Red Rubber Case) **x4**


106009
M3x25mm Hex Socket OH/TP Screw **x4**

103001
M3 Nut Lock **x4**

101018
SHIM 13x16x0.2mm **x2**

OPTION:
SWC-218007A
S35 Series Evolution-CVA Drive Shaft Set 92.5mm (1 Set)


SWC-218007D
S35 Series Advance-CVD Drive Shaft Set 92.5mm (1 Set)



OPTION:
SW-338075
S35-4 Series T7 Aluminum Rear Wheel Hub With BB Insert (R=L) (1PC)


PRO TIP:
The new multi adjustable rear hub can be set to a wider or a narrow configuration using the inserts 228001DG (#17 #18)

PRO TIP:
The base set up is always by using 2-3mm inserts on the rear of Hub Carriers Hinge Pins.
The wheel base length should be around 325-330mm.







103001 *x2*
M3 Nut Lock



338146 *x2*
Rear Upper Sus. Arm Turnbuckles




Longer Upper Arm Linkage Set-up



PRO TIP:
The Shorty Upper Arm Linkage Set-up is good using for low grip condition.

The Longer Upper Arm Linkage Set-up is good using for high grip condition.



105012
M3x10mm Cap Screw ***x2***



106009
M3x25mm Hex Soket OH/TP Screw ***x2***



103001
M3mm Nut Lock ***x2***

26

Longer Upper Arm Linkage Set-up

27




103001
M3mm Nut Lock ***x4***



108019
M2.6x6mm FH/ST HEX Screw ***x2***




106003
M3x16mm Hex Soket OH/TP Screw ***x4***



OPTION:


228003A(#3) S35 Series Integrated Wing Mount Spacer (0 Degree)
228003A(#4) S35 Series Integrated Wing Mount Spacer (1 Degree)
228003A(#5) S35 Series Integrated Wing Mount Spacer (2 Degree)

28



108007
M3x6mm FH/ST HEX Screw ***x10***

29



108006
M3x8mm FH/ST HEX Screw ***x2***

108010
M4x10mm FH/ST HEX Screw ***x2***

108011
M4x12mm FH/ST HEX Screw ***x4***

108021
M3x18mm FH/ST HEX Screw ***x2***

BAG F

106002
M3x10mm Hex Socket OH/T w ***x2***

106006
M3x20mm Hex Socket OH/T w ***x2***

106008
M3x12mm Hex Socket OH/TP Screw ***x2***


106010
M3x6mm Hex Socket OH/TP Screw ***x2***

104011
M4x4mm Set Screw (Flat Bottom) ***x1***

106024
M4x12mm Hex Socket OH/TP Screw ***x2***

105020
M4x10mm Cap Screw ***x2***

30




PRO TIP:
Not only use 105020 (M4x10mm Cap Screw) but there is also included 105012(M3x10mm Cap Screw) for lock on your BL motor.

108003
M3x10mm FH/ST HEX Screw ***x3***

108010
M4x10mm FH/ST HEX Screw ***x4***

31



BAG F

108003
M3x10mm FH/ST HEX Screw ***x2***

108007
M3x6mm FH/ST HEX Screw ***x2***

108011
M4x12mm FH/ST HEX Screw ***x4***


108021
M3x18mm FH/ST HEX Screw ***x2***

106006
M3x20mm Hex Soket OH/TP Screw ***x1***

103001
M3xNut Lock ***x1***


32

OPTION:
SW-2501529BH SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Hard Material)



33

108013
M4x8mm FH/ST HEX Screw ***x2***



BAG F


34 Saddle Pack Battery Chassis Assembly



108010
M4x10mm FH/ST HEX Screw ***x4***



103005
M4 Nut Lock ***x4***



35 S14.8 4S Pack Battery Assembly



108006
M3x8mm FH/ST HEX Screw ***x4***




108010
M4x10mm FH/ST HEX Screw ***x2***




108013
M4x8mm FH/ST HEX Screw ***x2***



103005
M4 Nut Lock ***x2***





BAG G



330126A
Steering Turnbuckle ***x2***

36 L R x2





37 L R x2




101026
S102 Aluminum Washer 3X6X1.5mm ***x6***



106002
M3x10mm Hex Soket OH/TP Screw ***x2***



106008
M3x12mm Hex Soket OH/TP Screw ***x2***



BAG F

104009
M3x16mm Set Screw ***x1***


106008
M3x12mm Hex Socket OH/TP Screw ***x4***

101012
M3x6xT0.6mm ***x4***

105012
M3x10mm Cap Screw ***x1***

106002
M3x10mm Hex Socket OH/TP Screw ***x1***

38



OPTION:
SW-338078-25
SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 25T
SW-338078-23
SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 23T


101026
S102 Aluminum Washer 3X6X1.5mm ***x1***


106007
M3x12mm Hex Socket OH/TP Screw (HT) ***x1***

108013
M4x8mm FH/ST HEX Screw ***x4***

103001
M3xNut Lock ***x1***

39





104004
M3x3mm Set Screw ***x1***

108006
M3x8mm FH/ST HEX Screw ***x2***

108007
M3x6mm FH/ST HEX Screw ***x2***

106025
M2.5x8mm Hex Socket OH/TP Screw ***x3***

BAG K

41 F/R x2 For Front x2 For Rear

338062B
S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L) x2

338063B
S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S) x2

103004
M2.5mm Nut Lock x4

228016-Seal
Shock Seal Washer 3.5X7X1.0mm x4

228016-Seal
Shock Seal Washer 3.6X7X2.5mm x8


101046
M2.6x6xT0.6mm x4

400038
Shock Seal O-Ring x8

400020
Shock Seal O-Ring x4

400019
Shock Spring Adjust Nut O-Ring x4


108029
M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead) x4



42 F/R x2 For Front x2 For Rear

118007-5
SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-5Dot)(68X1.4X6.25)

118008-4
SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-4Dot)(83X1.5X9.5) x2







105005
M3X12mm Cap Screw ***x2***



105022
M3X16mm Cap Screw ***x2***

43






44




105021
M3x6mm Conical Head Screw ***x4***



330243
SWORKz 3x16mm Shock Hex Screw Clockwise ***x4***








103001
M3xNut Lock ***x2***




105005
M3X12mm Cap Screw ***x2***

45



PRO TIP:
Attention!
Please do not follow the wing hole markings to drill. Please drill both holes 0.5mm inwards.




330122A
Wheel Nut ***x4***

46


47

R L x2

LiPo Batteries are not included.




48



49



106010
M3x6mm Hex Soket OH/TP Screw ***x1***



S35-5e SET-UP SHEET

1/8 Off Road Brushless Power Pro Buggy

SWORKz www.sworkz.com

Race time / Lap: _____

Best lap: _____

Name: SWORKz S35-5e
Date: 2026
Track: Basic Setup

Diff. Oil

Front: #15000
Center: #15000
Rear: #7000

Track Conditions

Size: ☐ Open ☑ Med. ☐ Tight
Traction: ☐ High ☑ Med. ☐ Low
Surface: ☐ Smooth ☑ Med. ☐ Bumpy

Tire

Front Type: Option Foam: Option
Rear Type: Option Foam: Option

Electric System

ESC Type: Option
Motor Type: Option
Motor Gear/Spur Gear: 16/46T
Battery Type A: Standard Pack Option (7.4V 2S x 2)
B: Shorty Pack Option (14.8 4S x 1)

Front Suspension

☐1 ☐2 ☑3 ☐4 ☐5 ☐6 ☐7 ☐8

F 4 mm
2 mm

☐1 ☑2

Wheel Hub Note: Kit 5.5mm

Rebound stop 101 mm

Front Toe-In

F
R
mm

Front Roll Center

☑ Bladder ☐ Emulsion
Cap: ☑ Soft material ☐ Medium material ☐ Option _____
Spacer: _____ mm
Oil: #600
Pistons: Kit 1.2*8H
Spring: SS-5Dot

Track width _____ mm
Camber angle Upper 0 mm
Lower 2.0 mm
Toe angle 1 °
Sway bar ☑ Use 2.3 mm ☐ None

Camber Angle
L: -1.0 °
R: -1.0 °

Steering Ackerman

☐1 ☑2 ☐3

0 mm

Front Ride Height
Chassis
22 mm
Ground

Front Gear Box Eccentric Info.

☑ A↑UP 0-0
☐ B↑UP 1.5-1.5
☐ C↑UP 3.0-3.0

Rear Suspension

Rear Toe-In

F
R

☐2 ☑3 ☐1 ☐4 ☐5 ☐6 ☐7 ☐8

Camber angle

☐1 ☑2 ☐3 ☐4 ☐5 ☐6

Wheel Hub Note: Kit 5.5mm

☐1 ☑2

Rebound stop 124 mm

Body: Kit
Wing: Kit

Wing Position

H5 ☐
H4 ☑
H3 ☐ H5
H2 ☑ H4
H1 ☐ H3
☐ H2
☐ H1

Wing Angle: 0 °

Upper arm position

6 ☐ 1 ☐
7 ☐ 2 ☐
8 ☐ 3 ☐
9 ☑ 4 ☐
10 ☐ 5 ☐

☑ Bladder ☐ Emulsion
Cap: ☑ Soft material ☐ Medium material ☐ Option _____
Spacer: _____ mm
Oil: #600
Pistons: Kit 1.3*8H
Spring: SL-4Dot

Camber angle 1.0 °
Sway bar ☑ Use 2.8 mm ☐ None

0 mm

Rear Ride Height
Chassis
25 mm
Ground

Rear Gear Box Eccentric Info.

☑ A↑UP 0-0
☐ B↑UP 1.5-1.5
☐ C↑UP 3.0-3.0

Wheelbase adjustment F 2 mm R 3 mm

Front

A ☐ Brass(15g) x ___
B ☐ Brass(15g) x ___
C ☐ Brass(15g) x ___

Option Parts List

Front Upper Arm
☐ Hard ☑ Soft
Carbon Cover 1.0 mm

Front Lower Arm
☐ Ultra Hard ☑ Hard ☐ Medium ☐ Soft
Carbon Cover 0 mm

Rear Lower Arm (228015)
☐ Ultra Hard ☑ Hard ☐ Medium ☐ Soft
☑ Use ☐ None
Carbon Cover 0 mm

S35-5e

1/8 Off Road Brushless Power Pro Buggy

SWORKZ www.sworkz.com

SET-UP SHEET

Race time / Lap: _____

Best lap: _____

Name: _____

Date: _____

Track: _____

Diff. Oil

Front: _____

Center: _____

Rear: _____

Track Conditions

Size: ☐ Open ☐ Med. ☐ Tight

Traction: ☐ High ☐ Med. ☐ Low

Surface: ☐ Smooth ☐ Med. ☐ Bumpy

Tire

Front	Rear
Type: _____	Type: _____
Foam: _____	Foam: _____

Electric System

ESC Type: _____

Motor Type: _____

Motor Gear/Spur Gear: _____

Battery Type

A: Standard Pack _____

B: Shorty Pack _____

Front Suspension

☐1 ☐2 ☐3 ☐4 ☐5 ☐6 ☐7 ☐8

F _____ mm

_____ mm

☐1 ☐2

Wheel Hub Note: _____

Rebound stop _____ mm

Front Toe-In

F

R

_____ mm

Front Roll Center

Camber Angle

L: _____ °

R: _____ °

☐ Bladder ☐ Emulsion

Cap: ☐ Soft material ☐ Medium material ☐ Option _____

Spacer: _____ mm

Oil: _____

Pistons: _____

Spring: _____

Track width _____ mm

Camber angle Upper _____ mm

Lower _____ mm

Toe angle _____ °

Sway bar ☐ Use _____ mm

☐ None

Steering Ackerman

☐1 ☐2 ☐3

_____ mm

Front Ride Height

Chassis

_____ mm

Ground

Front Gear Box Eccentric Info.

☐ A↑UP 0-0

☐ B↑UP 1.5-1.5

☐ C↑UP 3.0-3.0

Rear Suspension

Rear Toe-In

F

R

☐2 ☐1 ☐3 ☐4 ☐5 ☐6 ☐7 ☐8

Camber angle

☐1 ☐2 ☐3 ☐4 ☐5 ☐6

Wheel Hub Note: _____

☐1 ☐2 _____

Rebound stop _____ mm

Body: _____

Wing: _____

Wing Position

H5 ☐

H4 ☐

H3 ☐H5

H2 ☐H4

H1 ☐H3

☐H2

☐H1

Wing Angle: _____ °

Upper arm position

6☐ 7☐ 8☐ 9☐ 10☐

☐1 ☐2 ☐3 ☐4 ☐5

☐ Bladder ☐ Emulsion

Cap: ☐ Soft material ☐ Medium material ☐ Option _____

Spacer: _____ mm

Oil: _____

Pistons: _____

Spring: _____

mm

Camber angle _____ °

Sway bar ☐ Use _____ mm

☐ None

_____ mm

Rear Ride Height

Chassis

_____ mm

Ground

Rear Gear Box Eccentric Info.

☐ A↑UP 0-0

☐ B↑UP 1.5-1.5

☐ C↑UP 3.0-3.0

F R

Front

Wheelbase adjustment F _____ mm

R _____ mm

A☐ Brass(15g) x ___

B☐ Brass(15g) x ___

C☐ Brass(15g) x ___

Option Parts List

Front Upper Arm

☐ Hard ☐ Soft

Carbon Cover

_____ mm

Front Lower Arm

☐ Ultra Hard ☐ Hard ☐ Medium ☐ Soft

Carbon Cover

_____ mm

Rear Lower Arm (228015)

☐ Ultra Hard ☐ Hard ☐ Medium ☐ Soft

☐ Use

☐ None

Carbon Cover

_____ mm

RACE REPORT

Parts No. List

Part No.	Part Name	Q`ty in Use	Item No.
210091	S35-3W Plastic Front/Rear Big Bore Diff Case	2	SW-210091
210079A	S35-4 Plastic Center Big Bore HET Diff Case	1	SW-210079A
2501529B	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Standard Material)	1	SW-2501529B
2501121C	S35/S350 Series Ball End Set with Shock Plastic Parts	2	SW-2501121C
2503260	S353 Series Plastic Inserts Set	1	SW-2503260
2503264A	S35-3 Series Front Steering Knuckle (Type 2.0) L	1	SW-2503264A
228024S	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Standard Material	1	SW-228024S
228001DG	S35-4 Series Plastic Inserts Set (Durable)(Gray)	2	SW-228001DG
228002-1	S35-4 Series Plastic Rear Wheel Hub (R=L)	2	SW-228002-1
228002-2E	S35-4e EVO Series Plastic Front Chassis Shorty Brace	1	SW-228002-2E
228003A	S35 Series Integrated Wing Mount Set 2.0	1	SW-228003A
228004A	S35-4 Series Plastic Side Guard Set with Stopper	1	SW-228004A
228005H-F	S35-4 Series Front Lower Arm in Soft Material	2	SW-228005H-F
228006B	SWORKz S35 Series Shock Spring End(H/Lock)/Body Mount/Ball Ends Set	2	SW-228006B
228007-3	S35-4E Buggy Series Plastic Center Diff. Mount	2	SW-228007-2
228015H	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Hard)	2	SW-228015H
228016-1.2-8	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.2X8Holes)	2	SW-228016-1.2-8
228016-1.3-8	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X8Holes)	2	SW-228016-1.3-8
228016-Seal	SWORKz 1/8 BBS Precision Plastic Shock Seal Part	2	SW-228016-Seal
228017	S35-4/e EVO Series Lay-Down Type Steering Bellcrank Set	1	SW-228017
228018	S35-4e EVO Electric Series Steering Servo Mount & Rear Upper Deak Holder	1	SW-228018
228019	S35-4e EVO Electric Series Receiver Box & Accessories	1	SW-228019
228020	S35-4e EVO Electric Series Battery Case	2	SW-228020
228021	SWORKz 1/8 Steering and Throttle Servo Horn Set	1	SW-228021
228022ABK	SWORKz 1/8 Off Road Pro Race Wing (BK)(W/o Holes)	1	SW-228022ABK
228026	SWORKz Plastic Ball End Set (XS5.5mm/Sway Bar)	2	SW-228026
228030	SWORKz 1/8 S35-5 Series Gear Box Set with Adjustable-Diff-Position-System	2	SW-228030
228031	SWORKz 1/8 S35-5 Series Adjustable-Diff-Position-System Inserts Set	2	SW-228031
228032	SWORKz 1/8 S35-5 Series Adjustable-Pinion-Gear-Position Inserts Set	2	SW-228032
228034	SWORKz 1/8 S35-4/5 Series Plastic F/R Lower Arm Cover Set	2	SW-228034
228035	SWORKz 1/8 S35-5 Series Front Bumper	1	SW-228035
210046	S350 Series LDS Universal Cross Drive Shaft Set 92.5mm	4	SW-210046
200193	Antenna Tube	1	SW-200193
258005C-E	S35 Series Falcon ST-5 Clean Body Shell (Pre-Cut for EP Buggy)	1	SW-258005CE
320010	S35-3W Diff. Bevel Gear 10T	12	SW-328001
320009	S35-3W Diff. Bevel Gear 20T	6	SW-328001
330015	Pin M2.2x9.9mm	6	SW-330015
330117A	S350 Series Knuckle Pivot Ball Washer(GM)	2	SW-330117A
330118A	S350 Series Knuckle Pivot Ball Nut(GM)	4	SW-330118A
330119	Front Upper Arm HingPin	2	SW-330119
330122A	S350 Wheel Nut (HC)	4	SW-330122A
330124	Pin M3.0x16.8mm	4	SW-330124
330125	Rear Upper Sus. Arm Ball Stud	4	SW-330125
330126A	S350 EVO Steering Turnbuckle M4x40mm	2	SW-330126A
330134	Shock Ball Stud	12	SW-330134
330136	Sway Bar Ball Stud	4	SW-330136
330138B	S350 EVO Aluminum Shock Cap Stud (-1.3mm)	4	SW-330138B
330155	Steering Servo Turnbuckle (M3x30mm)	2	SW-330155
330243	SWORKz 3x16mm Shock Hex Screw Clockwise	2	SW-330243
330244	SWORKz 3x16mm Shock Hex Screw Anti-Clockwise	2	SW-330243
330246	SWORKz 1/8 Motor Pinion Gear 16T	1	SW-330246
330299	S104 Steering Linkage Ball Stud 5mm	2	SW-330299
330557	S350 New BBS System Shock Seal Cap (GM)	4	SW-330557
330560B	S35 New BBS System Shock Spring Adjust Nut (BK)	4	SW-330560B
330633	S350 BBS System +5.6mm Shock Body L (HD)	2	SW-330633
330634	S350 BBS System +5mm Shock Body S (HD)	2	SW-330634
330661A	S35-T/S35 Series Competition Center Drive Join (5mm set screw)	2	SW-330661A
330663A	S350 Series S35 Competition Steel F-Center Drive Shaft (115mm)	1	SW-330663A
330694A	S35 E Series 6mm Steel Ball Stud	1	SW-330694A
330664	SWORKz 1/10 5mm Ball Stud (L10mm)	4	SW-330664
330767A	S35-3 Series Steel F-Center Dive Shaft (88mm)	1	SW-330767
330779T-ST	S35-4/e EVO Steering Linkage Steel Ball Stud 7mm (L6 Thread Type)	4	SW-330779T-ST
330782	S35-3 Series Rear Hub Carriers Hinge Pin	2	SW-330782
338011	S35 series Pinion Gear Stopper (5x7x5.1mm)	2	SW-338011
338023	S35-3W Pinion Gear 13T	2	SW-338023
338024	S35-3W Crown Gear 43T	2	SW-338024
338025	S35-3W Bevel Gear Shaft	6	SW-338025
338027	S35-3W Front/Rear Diff. Outdrive	4	SW-338027
338028	S35-3W Center Diff. Outdrive	2	SW-338028
338039	S35-4 Series Center Spur Gear for Big Diff. Bevel Gear Case (46T)	1	SW-338039
338043	S35-3/4 Series Servo Saver Nut with Screw Fixed	1	SW-338043
338048	S35-4 Series Servo Saver Shaft	2	SW-338048
338056	S35-4 Series Lower Arm Hinge Pin (68.5mm)	4	SW-338056
338057A	S35-4/e EVO Series T7 Aluminum Front Upper Arm Holder	1	SW-338057A
338059	S35-4 Series T7 Aluminum Front Lower Arm Holder (FR)	1	SW-338059
338062B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L)	2	SW-338062B
338063B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S)	2	SW-338063B
338068	S35-4 Series T7 Aluminum Shock Stud (L)	2	SW-338068
338070B	S35 Series Rear Upper Sus. Arm Ball Stud (7.0mm Hex)	2	SW-338070B
338080	S35 Series Lightened Wheel Hub for 8mm Axil (L5.5mm)	4	SW-338080
338122-L	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Anti-Clockwise)	2	SW-338122-L
338122-R	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Clockwise)	2	SW-338122-R
338123	S35-4/e EVO Series Servo Saver Post Lay-Down Type (Hard Coated)	1	SW-338123
338126	S35-4/e EVO Series T7 Aluminum Settring Bellcrank Upper Part-A	1	SW-338126
338127	S35-4e Electric Buggy Series Aluminum Center Diff. Mount	1	SW-3380127
338128	S35-4e Electric Buggy Series T7 Aluminum Motor Mount	1	SW-3380128

Part No.	Part Name	Q`ty in Use	Item No.
338129	S35-4e Electric Buggy Series T7 Aluminum Center Diff/Motor Unit Mount (CF)	1	SW-3380129
338135	SWORKz S35-5 Series AL7075 Aluminum Front Shock Tower Double Line for High Capacity BBS Shock System (SBK)	1	SW-338135
338136	SWORKz S35-5 Series AL7075 Aluminum Rear Shock Tower Double Line for High Capacity BBS Shock System (SBK)	1	SW-338136
338137	SWORKz S35-5 Series AL7075 Rear Front Lower Suspension Plate (RF)(SBK)	1	SW-338137
338139	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3 degree)(RR)(SBK)	1	SW-338139
338140	SWORKz S35-5 Series AL7075 Aluminum Front Lower Arm Plate (FF)(SBK)	1	SW-338140
338141	SWORKz S35-5 Series AL7075 Aluminum Rear Chassis Brace Mount (SBK)	1	SW-338141
338142	SWORKz S35-5 Series AL7075 Aluminum Steering Plate (+5)	1	SW-338142
338145	SWORKz S35-5e Series AL7075 Aluminum Lightened Main Chassis (Standard)(Shaft 115mm)	1	SW-338145
338144	SWORKz S35-5 Series Lightened Emulsion/Bladder 2 Ways Syatem Shock Cap	4	SW-338144
338146	SWORKz S35-5 Series Rear Upper Linkage Turnbuckle M5x42mm	2	SW-338146
339008-3.0	SWORKz S35-GT FTE Series Sway Bar Holder (3.0mm)(RD)	2	SW-339008-3.0
339008-2.5	SWORKz S35-GT FTE Series Sway Bar Holder (2.5mm)(RD)	2	SW-339008-2.5
339023	SWORKz S35-GT2.2 FTE Series Sway Bar Adjust Stud	4	SW-339023
348005	S35-4/e EVO Series Pro-composite Carbon Steering Knuckle Plate (L&R)	2	SW-348005
348007	S35-4/e EVO Series Pro-composite Carbon Steering Bellcrank Plate	1	SW-348007
348008	S35-4e EVO Electric Series Pro-composite Carbon Center Diff. Plate		SW-348008
348009	S35-4e EVO Electric Series Pro-composite Carbon Steering Servo Mount Plate	1	SW-348009
348013	SWORKz S35 Series Pro-composite Carbon LCD Front Upper Arm Cover (1.2mm)	1	SW-348013
348016	SWORKz S35-5 Series Pro-composite Carbon Steering Bellcrank Plate	1	SW-348016
348018	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Extension)	4	SW-348018
420011	Fuel Tube	2	SW-420011
420010	Antenna Cup	1	SW-420010
400002	O-ring S5 4.8X1.5	6	SW-400002
400005	Shock Spring Adjust Nut O-Ring	4	SW-400005
400009	Shock Boot (L)	2	SW-400009
400010	Shock Boot (S)	2	SW-400010
400019	S350 New BBS System Shock Spring Adjust Nut O-Ring	4	SW-400019
400020	S350 New BBS System Shock Seal O-Ring	4	SW-400020
400023	S35 Series BBS System Seal O-Ring for Emulsion Shock Cap	4	SW-400023
400024S	S35 Series BBS System Hex-Cell Shock Bladder(Soft)	4	SW-400024S
400038	SWORKz 1/8 Series 3.5mm Shaft X Shock System Seal O-ring	8	SW-400038
510080A	SWORKz 1/8 Off Road Formula Race Wing Decal	1	SW-228008BK
510091	SWORKz Origional Logo Sticker	1	SW-510091
540001	Hook & Loop strap 2x27cm	4	SW-540001
610019	S35-3 Series Servo Saver Spring Dusty Protect Sponge	1	SW-610019
610020B	SWORKz S35 Series HET Center Big Bore Diff. Pro Gasket	1	SW-610020B
610023B	SWORKz S35 Series HET F/R Big Bore Diff. Pro Gasket	2	SW-610023B
115019	Body Clip	2	SW-115019
116004R	Ball Bearing 6x10x3mm (Red Rubber Case)	4	SW-116004R
116006R	Ball Bearing 8x16x5mm (Red Rubber Case)	14	SW-116006R
116009	Ball Bearing M5x8x2.5 ZZ	6	SW-116009
116019R	Ball Bearing 5x13x4mm (Red Rubber Case)	4	SW-116019R
117003	Flange Ball Bearing 3x6x2.5mm	4	SW-117003
118003H	S35-4 EVO series Servo Saver Spring(Hard)	1	SW-118003H
118005-2.2	SWORKz S35-5 Series Front Sway Bar 2.2mm	1	SW-118005-2.2
118005-2.3	SWORKz S35-5 Series Front Sway Bar 2.3mm	1	SW-118005-2.3
118006-2.6	SWORKz S35-5 Series Rear Sway Bar 2.6mm	1	SW-118006-2.6
118006-2.8	SWORKz S35-5 Series Rear Sway Bar 2.8mm	1	SW-118006-2.8
118007-5	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-5Dot)(68X1.4X6.25)	2	SW-118007-5
118008-4	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-4Dot)(83X1.5X9.5)	2	SW-118008-4
101004	Washer 3.5X10X0.2mm	12	SW-101004
101012	M3x6xT0.6mm	6	SW-101012
101018	SHIM 13x16x0.2mm	12	SW-101018
101019	SHIM 6.0x10.0x0.2mm	1	SW-101019
101026	SWORKz Aluminum Washer 3X6X1.5mm(GM)	7	SW-101026
101027	S350 BBD Steel Washer 5X14X0.5mm	3	SW-101027
101034	M3x5xT0.2mm	4	SW-101034
101039	Steel Washer 5x12x0.3mm	6	SW-101039
101046	SWORKz Steel Washer M2.6x6xT0.6mm	4	SW-101046
103001	M3 Nut Lock	18	SW-103001
103004	M2.5mm Nut Lock	8	SW-103004
103005	M4mm Nut Lock (BK)	4	SW-103005
104004	M3x3mm Set Screw	1	SW-104004
104005	M3x4mm Set Screw	8	SW-104005
104009	M3x16mm Set Screw	1	SW-104009
104010	M5x4mm Set Screw (Flat Bottom)	6	SW-104010
104011	M4x4mm Set Screw (Flat Bottom)	1	SW-104011
105001	M3x8mm Cap Screw	1	SW-105001
105005	M3x12mm Cap Screw	2	SW-105005
105012	M3x10mm Cap Screw	2	SW-115012
105018	M2x6mm Cap Head Screw	1	SW-105018
105020	M4x10mm Cap Screw	2	SW-105020
105021	M3x6mm Conical Head Screw	4	SW-105021
105022	M3x16mm Cap Screw	2	SW-105022
106002	M3x10mm Hex Soket OH/TP Screw	23	SW-106002
106003	M3x16mm Hex Soket OH/TP Screw	8	SW-106003
106006	M3x20mm Hex Soket OH/TP Screw	3	SW-106006
106007	M3x12mm Hex Soket OH/TP Screw(HT)	3	SW-106007
106008	M3x12mm Hex Soket OH/TP Screw	6	SW-106008
106009	M3x25mm Hex Soket OH/TP Screw	6	SW-106009

Part No.	Part Name	Q`ty in Use	Item No.
106010	M3x6mm Hex Soket OH/TP Screw	8	SW-106010
106013	M2.5x8mm 1.5mmHex Soket OH/ST Screw	11	SW-106013
106015	M3x5mm Hex Soket OH/TP Screw	2	SW-106015
106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw	14	SW-106020
106022	M2.5x14mm Soket OH/ST Screw (1.5mmHex)	4	SW-106022
106024	M4x12mm Hex Soket OH/TP Screw	2	SW-106024
108001	M3x12mm FH/ST HEX Screw	22	SW-108001
108003	M3x10mm FH/ST HEX Screw	14	SW-108003
108005	M3x14mm FH/ST HEX Screw	10	SW-108005
108006	M3x8mm FH/ST HEX Screw	16	SW-108006
108007	M3x6mm FH/ST HEX Screw	12	SW-108007
108010	M4x10mm FH/ST HEX Screw	10	SW-108010
108012	M4x16mm FH/ST HEX Screw	8	SW-108012
108013	M4x8mm FH/ST HEX Screw	8	SW-108013
108019	M2.6x6mm FH/ST HEX Screw	2	SW-108019
108021	M3x18mm FH/ST HEX Screw	4	SW-108021
108029	M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead)	4	SW-108029
101010A	M3 Countersunk Washer(GM)	4	SW-101010A
101020A	S350 Sries 3mm Countersunk Washers (GM)	2	SW-101020A
103003A	Flange M3 Nut Lock (GM)	4	SW-103003A
105006A	M3x28mm Cap Screw full thread	2	SW-105006A
105013A	M3x25mm Cap Screw	2	SW-105013A
106021A	S35 Series M4x10mm Hex Soket OH/TP Set Screw	4	SW-106021A

Item No.	Part Name
SW-228001DG	S35-4 All Series Plastic Inserts Set (Durable)(Gray)(2 Sets)
SW-228002-1	S35-4 Series Plastic Rear Wheel Hub (R=L)(2PC)
SW-228002-2E	S35-4e EVO Series Plastic Front Chassis Shorty Brace
SW-228003A	S35 Series Integrated Wing Mount Set 2.0
SW-228004A	S35-4 Series Plastic Side Guard Set with Stopper
SW-228005H-F	S35-4 Series Front Lower Arm in Hard Material (1PC)
SW-228006B	SWORKz S35 Series Shock Spring End(H/Lock)/Body Mount/Ball Ends Set (2Set)
SW-228007-3	S35-4E Buggy Series Plastic Center Diff. Mount (2PC)
SW-228015H	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Hard)(1PC)
SW-228016-1.2-8	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.2X8Holes)(2PC)
SW-228016-1.3-8	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X8Holes)(2PC)
SW-228016-Seal	SWORKz 1/8 BBS Precision Plastic Shock Seal Part (4 Sets)
SW-228017	S35-4/e EVO Series Lay-Down Type Steering Bellcrank Set
SW-228018	S35-4e EVO Electric Series Steering Servo Mount & Rear Upper Deak Holder Set
SW-228019	S35-4e EVO Electric Series Receiver Box & Accessories Set
SW-228020	S35-4e EVO Electric Series Battery Case (1PC)
SW-228021	SWORKz 1/8 Steering and Throttle Servo Horn Set
SW-228022ABK	SWORKz 1/8 Off Road Pro Race Wing (BK)(W/o Holes)
SW-228024S	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Standard Material
SW-228026	SWORKz Plastic Ball End Set (XS5.5mm/Sway Bar)
SW-228030	SWORKz 1/8 S35-5 Series Gear Box Set with Adjustable-Diff-Position-System
SW-228031	SWORKz 1/8 S35-5 Series Adjustable-Diff-Position-System Inserts Set (4PC)
SW-228032	SWORKz 1/8 S35-5 Series Adjustable-Pinion-Gear-Position Inserts Set (4PC)
SW-228034	SWORKz 1/8 S35-4/5 Series Plastic F/R Lower Arm Cover Set
SW-228035	SWORKz 1/8 S35-5 Series Front Bumper(2PC)
SW-2501121C	S35/S350 Series Ball End Set with Shock Plastic Parts
SW-2501529B	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Standard Material)
SW-2503260	S353 Series Plastic Inserts Set
SW-2503264A	S35-3 Series Front Steering Knuckle (Type 2.0)
SW-258005CE	S35 Series Falcon ST-5 Clean Body Shell (Pre-Cut for EP Buggy)
SW-200193	Antenna Tube
SW-210046	S350 Series LDS Universal Cross Drive Shaft Set 92.5mm (1pc)
SW-210079A	S35-4 Plastic Center Big Bore HET Diff Case
SW-210091	S35-3W Plastic Front/Rear Big Bore Diff Case
SW-328001	S35-3/4 Series HET Diff. Bevel Gear Set
SW-330015	Pin M2.2x9.9mm
SW-330117A	S350 Series Knuckle Pivot Ball Washer(GM)
SW-330118A	S350 Series Knuckle Pivot Ball Nut(GM)
SW-330119	Front Upper Arm HingPin
SW-330122A	S350 Wheel Nut (HC)
SW-330124	Pin M3.0x16.8mm
SW-330125	Rear Upper Sus. Arm Ball Stud
SW-330126A	S350 EVO Steering Turnbuckle M4x40mm
SW-330134	Shock Ball Stud 6mmxL6.7
SW-330136	Sway Bar Ball Stud
SW-330138B	S350 Series Aluminum Shock Cap Stud (-1.3mm)(2PC)
SW-330155	Steering Servo Turnbuckle (M3x30mm)
SW-330243	SWORKz 3x18mm Shock Hex Screw Set (Anti-Clockwise)
SW-330246	SWORKz 1/8 Motor Pinion Gear 16T
SW-330299	S104 Steering Linkage Ball Stud 5mm (4pc)
SW-330557	S350 New BBS System Shock Seal Cap (GM)
SW-330560B	S35 New BBS System Shock Spring Adjust Nut (BK)
SW-330633	S350 BBS System +5.6mm Shock Body L
SW-330634	S350 BBS System +5mm Shock Body S
SW-330661A	S35-T/S35 Series Competition Center Drive Join (5mm set screw)
SW-330663A	S350 Series S35 Competition Steel F-Center Drive Shaft (115mm)
SW-330694A	S35 E Series 6mm Steel Ball Stud
SW-330767A	S35-3 Series Steel F-Center Dive Shaft (88mm)
SW-330779T-ST	S35-4/e EVO Steering Linkage Steel Ball Stud 7mm (L6 Thread Type)
SW-330782	S35-3 Series Rear Hub Carriers Hinge Pin
SW-338011	S35-3 series Pinion Gear Stopper (5x7x5.1mm)(4PC)
SW-338127	S35-4e Electric Buggy Series Aluminum Center Diff. Mount
SW-338128	S35-4e Electric Buggy Series T7 Aluminum Motor Mount
SW-338129	S35-4e Electric Buggy Series T7 Aluminum Center Diff/Motor Unit Mount (CF)
SW-338014	S35-3W T-7075AL Rear Lower Fully Adjustable Toe-In Block(3 degree)
SW-338023	S35-3W Pinion Gear 13T
SW-338024	S35-3W Crown Gear 43T
SW-338025	S35-4 HET Bevel Gear Shaft (2pc)
SW-338027	S35-4 Front/Rear HET Diff. Outdrive (2pc)
SW-338028	S35-4 Center HET Diff. Outdrive (2pc)
SW-338039	S35-3/4 Series Center HET Spur Gear (46T)
SW-338043	S35-3/4 Series Servo Saver Nut with Screw Fixed
SW-338048	S35-4 Series Servo Saver Shaft(2PC)
SW-338056	S35-4 Series Lower Arm Hinge Pin (68.5mm)(2pc)
SW-338057A	S35-4/e EVO Series T7 Aluminum Front Upper Arm Holder
SW-338059	S35-4 Series T7 Aluminum Front Lower Arm Holder (FR)
SW-338062B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (L)(2PC)
SW-338063B	SWORKz S35-5/e Series BBS System Teflon Coated Durable Shock Shaft (S)(2PC)
SW-338068	S35-4 Series T7 Aluminum Shock Stud (L)(2PC)
SW-338070B	S35 Series Rear Upper Sus. Arm Ball Stud (7.0mm Hex)
SW-338080	S35/S350 Series Lightened Wheel Hub for 8mm Axil (L5.5mm)
SW-338122-L	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Anti-Clockwise)(2PC)
SW-338122-R	S35/S350/Apollo Series Lightened Steering Knuckle Pivot Ball Turnbuckle (Clockwise)(2PC)
SW-338123	S35-4/e EVO Series Servo Saver Post Lay-Down Type (Hard Coated)
SW-338126	S35-4/e EVO Series T7 Aluminum Settring Bellcrank Upper Part-A
SW-338135	SWORKz S35-5 Series AL7075 Aluminum Front Shock Tower Double Line for High Capacity BBS Shock System (SBK)

Spare Part List

Item No.	Part Name
SW-338136	SWORKz S35-5 Series AL7075 Aluminum Rear Shock Tower Double Line for High Capacity BBS Shock System (SBK)
SW-338137	SWORKz S35-5 Series AL7075 Rear Front Lower Suspension Plate (RF)(SBK)
SW-338139	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3 degree)(RR)(SBK)
SW-338140	SWORKz S35-5 Series AL7075 Aluminum Front Lower Arm Plate (FF)(SBK)
SW-338141	SWORKz S35-5 Series AL7075 Aluminum Rear Chassis Brace Mount (SBK)
SW-338142	SWORKz S35-5 Series AL7075 Aluminum Steering Plate (+5)
SW-338144	SWORKz S35-5 Series Lightened Emulsion/Bladder 2 Ways Syatem Shock Cap (2PC)
SW-338145	SWORKz S35-5e Series AL7075 Aluminum Lightened Main Chassis (Standard)(Shaft 115mm)
SW-338146	SWORKz S35-5 Series Rear Upper Linkage Turnbuckle M5x42mm(2PC)
SW-339008-2.5	SWORKz S35-GT FTE Series Sway Bar Holder (2.5mm)(RD)(2PC)
SW-339008-3.0	SWORKz S35-GT FTE Series Sway Bar Holder (3.0mm)(RD)(2PC)
SW-339023	SWORKz S35-GT2.2 FTE Series Sway Bar Adjust Stud (2PC)
SW-348005	S35-4/e EVO Series Pro-composite Carbon Steering Knuckle Plate (L&R)(1PC)
SW-348008	S35-4e EVO Electric Series Pro-composite Carbon Center Diff. Plate(1PC)
SW-348009	S35-4e EVO Electric Series Pro-composite Carbon Steering Servo Mount Plate(1PC)
SW-348013	SWORKz S35 Series Pro-composite Carbon LCD Front Upper Arm Cover (1.2mm)
SW-348016	SWORKz S35-5 Series Pro-composite Carbon Steering Bellcrank Plate
SW-348018	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Extension)
SW-400002	O-ring S5 4.8X1.5
SW-400005	Shock Spring Adjust Nut O-Ring
SW-400009	Shock Boot (L)
SW-400010	Shock Boot (S)
SW-400019	S350 New BBS System Shock Spring Adjust Nut O-Ring (4pc)
SW-400020	S350 New BBS System Shock Seal O-Ring (4pc)
SW-400023	S35-4 Series BBS System Seal O-Ring for Emulsion Shock Cap(4PC)
SW-400024S	S35 Series BBS System Hex-Cell Shock Bladder(Soft)(4PC)
SW-400038	SWORKz 1/8 Series 3.5mm Shaft X Shock System Seal O-ring (8PC)
SW-420010	Antenna Cup
SW-510091	SWORKz Origional Logo Sticker (2PC)
SW-540001	Hook & Loop strap 2x22.5cm(4pc)
SW-610019	S35-3 Series Servo Saver Spring Dusty Protect Sponge (2pc)
SW-610020B	SWORKz S35 Series HET Center Big Bore Diff. Pro Gasket (3PC)
SW-610023B	SWORKz S35 Series HET F/R Big Bore Diff. Pro Gasket (3PC)
SW-101004	Washer 3.5X10X0.2mm
SW-101010A	M3 Countersunk Washer(GM)
SW-101012	M3x6xT0.6mm
SW-101018	SHIM 13x16x0.2mm
SW-101019	SHIM 6.0x10.0x0.2mm
SW-101020A	S350 Sries 3mm Countersunk Washers (GM)
SW-101026	SWORKz Aluminum Washer 3X6X1.5mm
SWC-101027	SWORKz S35 BBD Steel Washer 5X14X0.5mm (2PC)
SW-101034	M3x5xT0.2mm(10PC)
SW-101039	SWORKz HET Diff Steel Washer 5x12x0.3mm(10PC)
SW-101046	SWORKz Steel Washer M2.6x6xT0.6mm (10PC)
SW-103001	M3 Nut Lock
SW-103003A	Flange M3 Nut Lock (GM)
SW-103004	M2.5mm Nut Lock
SW-103005	M4mm Nut Lock (BK)(10PC)
SW-104004	M3x3mm Set Screw
SW-104005	M3x4mm Set Screw
SW-104009	M3x16mm Set Screw (10pc)
SW-104010	M5x4mm Set Screw (Flat Bottom)
SW-104011	M4x4mm Set Screw (Flat Bottom)
SW-105001	M3x8mm Cap Screw
SW-105005	M3x12mm Cap Screw
SW-105006A	M3x28mm Cap Screw full thread
SW-105012	M3x10mm Cap Screw(10pc)
SW-105013A	M3x25mm Cap Screw
SW-105018	M2x6mm Cap Head Screw
SW-105020	M4x10mm Cap Screw (8PC)
SW-105021	M3x6mm Conical Head Screw (10PC)
SW-105022	M3x16mm Cap Screw(10pc)
SW-106002	M3x10mm Hex Soket OH/TP Screw
SW-106003	M3x16mm Hex Soket OH/TP Screw
SW-106006	M3x20mm Hex Soket OH/TP Screw
SW-106007	M3x12mm Hex Soket OH/TP Screw(HT)
SW-106008	M3x12mm Hex Soket OH/TP Screw
SW-106009	M3x25mm Hex Soket OH/TP Screw
SW-106010	M3x6mm Hex Socket OH/TP Screw
SW-106013	M2.5x8mm 1.5mmHex Soket OH/ST Screw
SW-106015	M3x5mm Hex Soket OH/TP Screw
SW-106020	M2.5x5mm 1.5mmHex Soket OH/ST Screw
SW-106021A	S35 Series M4x10mm Hex Soket OH/TP Set Screw
SW-106022	M2.5x14mm Socket OH/ST Screw (1.5mmHex)
SW-106024	M4x12mm Hex Socket OH/TP Screw (8PC)
SW-108001	M3x12mm FH/ST HEX Screw
SW-108003	M3x10mm FH/ST HEX Screw
SW-108005	M3x14mm FH/ST HEX Screw
SW-108006	M3x8mm FH/ST HEX Screw
SW-108007	M3x6mm FH/ST HEX Screw
SW-108010	M4x10mm FH/ST HEX Screw
SW-108011	M4x12mm FH/ST HEX Screw
SW-108013	M4x8mm FH/ST HEX Screw
SW-108019	M2.6x6mm FH/ST HEX Screw
SW-108021	M3x18mm FH/ST HEX Screw(10PC)
SW-108029	M2.0x4.6mm FH/ST HEX Screw (1.5mm HexHead)

Item No.	Part Name
SW-115019	1/8 Body Clip(10pc)
SW-116004R	Ball Bearing 6x10x3mm (Red Rubber Case)(4PC)
SW-116006R	Ball Bearing 8x16x5mm (Red Rubber Case)(10PC)
SW-116009	Ball Bearing M5x8x2.5 ZZ (4PC)
SW-116010R	Ball Bearing 5x10x4mm (Red Rubber Case)(4PC)
SW-116019R	Ball Bearing 5x13x4mm (Red Rubber Case)(4PC)
SW-117003	Flange Ball Bearing 3x6x2.5mm(2pc)
SW-118003H	S35-4 EVO series Servo Saver Spring(Hard)
SW-118005-2.2	SWORKz S35-5 Series Front Sway Bar 2.2mm
SW-118005-2.3	SWORKz S35-5 Series Front Sway Bar 2.3mm
SW-118006-2.6	SWORKz S35-5 Series Rear Sway Bar 2.6mm
SW-118006-2.8	SWORKz S35-5 Series Rear Sway Bar 2.8mm
SW-118007-5	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-5Dot)(68X1.4X6.25)
SW-118008-4	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-4Dot)(83X1.5X9.5)

Option Part List

Item No.	Part Name
SW-250050A	SWORKz 1/8 Off Road Formula Bulkhead Lexan Wing (0.8mm)(4PC)
SW-258004-S	SWORKz 1/8 Off Road Sonic Lexan Wing with Wing Holder (Standard)(Pre-Cut)(2 Sets)
SW-258004-D	SWORKz 1/8 Off Road Sonic Lexan Wing with Wing Holder (Durable)(Pre-Cut)(2 Sets)
SW-2501121-10	SWORKz 1/8 Series Shock Cap Insert (8pc)
SW-2503260-26	SWORKz 1/8 Series 8x16x5mm BB Plastic Inserts (4PC)
SW-2501529BH	SWORKz S35/S350 Series Plastic Chassis Brace Set 2.0 (Hard Material)
SW-2503260FO	S353 Series Colorful Plastic Inserts Set (FO)
SW-2503260FY	S353 Series Colorful Plastic Inserts Set (FY)
SW-2503260LB	S353 Series Colorful Plastic Inserts Set (SB)(2 SET)
SW-210079AH	S35-4 Plastic Center Big Bore HET Diff Case (Hard)
SW-210091H	S35-4 Plastic Front/Rear Big Bore HET Diff Case (Hard)
SW-218005	S35-3/4 Series HET Center Big Bore Diff. Set (47T)
SW-218006	S35-4 Series HET Front/Rear Big Bore Diff. Set (43T)
SW-218031	S35-4 EVO Lay-Down Type Steering Bellcrank Upgrade Package
SW-218042-F	SWORKz S35-5 Series Front High Capacity Shock Complete Set (Without Springs)
SW-218042-R	SWORKz S35-5 Series Rear High Capacity Shock Complete Set (Without Springs)
SW-228013BK	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (BK)(Pre-Holes)
SW-228013WH	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (WH)(Pre-Holes)
SW-228013FY	SWORKz 1/8 Off Road Pro-Speed 2.0 Race Wing (FY)(Pre-Holes)
SW-228005S-F	S35-4 Series Front Lower Arm in Soft Material (1PC)
SW-228005M-F	S35-4 Series Front Lower Arm in Medium Material (1PC)
SW-228015S	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Soft)(1PC)
SW-228015M	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Medium)(1PC)
SW-228015U	SWORKz S35-4 Series Arched-Bridge-System Rear Lower Arm Set (Ultra-Hard)(1PC)
SW-228016-1.3-5	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X5Holes)(2PC)
SW-228016-1.4-5	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.4X5Holes)(2PC)
SW-228016-1.3-6	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.3X6Holes)(FY)(2PC)
SW-228016-1.4-6	SWORKz 1/8 BBS Precision Plastic Shock Piston(1.4X6Holes)(RD)(2PC)
SW-228016-DIY	SWORKz 1/8 BBS Precision Plastic Shock Piston(DIY)(4PC)
SW-228022AWH	SWORKz 1/8 Off Road Pro Race Wing (WH)(W/o Holes)
SW-228022AFY	SWORKz 1/8 Off Road Pro Race Wing (FY)(W/o Holes)
SW-228024H	SWORKz S35 Series LCD Front Upper Arms with Done Force Wings in Hard Material
SW-228037	SWORKz 1/8 Off Road Sonic Lexan Wing Durable Plstic Holder (BK)(1PC)
SW-300049	SWORKz S35-3/S350 Series Rear Stainless Chassis End Protection (2PC)
SW-330115	Steering Knuckle Pivot Ball Turnbuckle
SW-330116	14mm Knuckle Pivot Ball
SW-330125A	S350 Series Aluminum Rear Upper Sus. Arm Ball Stud(4pc)
SW-330134A	S350 Series Aluminum Shock Ball Stud(4pc)
SW-330168A	S35-3 Series Rear Chassis Blance wight 15g(2pc)
SW-330398A	SWORKz S350 Series Pro Wheel Nut (GM)
SW-330420	S350 Series Knuckle Pivot Ball Balance Nut (5.5g) (2pc)
SW-330424	S350 Series Aluminum Wing Holder (RED)
SW-330424B	S350 Series Aluminum Wing Holder (BK)
SW-330424G	S350 Series Aluminum Wing Holder (GM)
SW-330505A	S35 Series Lightened Wheel Hub for 8mm Axil (L6.5mm)
SW-330506A	S35 Series Lightened Wheel Hub for 8mm Axil (L5.0mm)
SW-330235	SWORKz 1/8 Motor Pinion Gear 13T
SW-330239	SWORKz 1/8 Motor Pinion Gear 14T
SW-330246	SWORKz 1/8 Motor Pinion Gear 16T
SW-330247	SWORKz 1/8 Motor Pinion Gear 17T
SW-330817	SWORKz 1/8 EP Motor Pinion Gear 18T
SW-330818	SWORKz 1/8 EP Motor Pinion Gear 19T
SW-330819	SWORKz 1/8 EPMotor Pinion Gear 20T
SW-330767	S35-3 Series T-7075 Aluminum F-Center Dive Shaft (88mm)
SW-330779T-AL	S35-4/e EVO Steering Linkage Aluminum Ball Stud 7mm (L6 Thread Type)(4PC)
SW-338029-16	S35-4 Series High Density Clutch Bell 16T
SW-338029-17	S35-4 Series High Density Clutch Bell 17T
SW-338030-57	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (57T)
SW-338030-58	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (58T)
SW-338030-59	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (59T)
SW-338030-60	S35-4 Series High Density Spur Gear for Big Bore Diff. Case (60T)
SW-338033	SWORKz S35-3 Series Lightened Aluminum Front Chassis Brace
SW-338034E	S35-4e EVO Series Lightened Aluminum Front Chassis Shorty Brace
SW-338035A	SWORKz S35 Series Lightened Aluminum Rear Chassis Brace
SW-338039	S35-3/4 Series Center HET Spur Gear (46T)
SW-338041	S35-3/4 Series Center HET Spur Gear (48T)
SW-338070A	S35 Series Rear Upper Arm Aluminum Ball Stud(2PC)
SW-338075	S35-4 Series T7 Aluminum Rear Wheel Hub (R=L)(2PC)
SW-338078-25	SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 25T
SW-338078-23	SWORKz Uni-Design 2-Way System Aluminum Steering Servo Horn 23T
SW-338079-25	SWORKz Uni-Design Aluminum Throttle Servo Horn 25T
SW-338079-23	SWORKz Uni-Design Aluminum Throttle Servo Horn 23T
SW-338117-19	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 19T
SW-338117-20	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 20T
SW-338117-21	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 21T
SW-338117-22	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 22T
SW-338117-23	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 23T
SW-338117-24	S35-4e/GT2e/T2e Series High Density Motor Pinion Gear 24T
SW-340022-10	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (1mm)(2PC)
SW-340022-15	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (1.5mm)(2PC)

Item No.	Part Name
SW-340022-20	S35-4/E Series Pro-composite Carbon Front Lower Arm Cover (2mm)(2PC)
SW-400021	S350 New BBS System Shock Bladder (Soft)(4pc)
SW-410023	Air Filter Adapter
SW-400024M	S35 Series BBS System Hex-Cell Shock Bladder(Medium)(4PC)
SW-348003-10	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.0mm)(2PC)
SW-348003-15	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(1.5mm)(2PC)
SW-348003-20	SWORKz S35-4 Series Pro-composite Carbon Arched-Bridge-System Rear Lower Arm Cover(2.0mm)(2PC)
SWC-116010C	SWORKz Competition 5x10x4mm Ball Bearing(Metal Case)(6PC)
SWC-218007A	S35 Series Evolution-CVA Drive Shaft Set 92.5mm(1 Sets)
SWC-218007D	S35 Series Advance-CVD Drive Shaft Set 92.5mm(1 Sets)
SW-218040	SWORKz S35-5 Series Font Sway Bar Set (2.0/2.1/2.2/2.3/2.4/ 2.5/2.6/2.7/2.8mm)(9PC)
SW-218041	SWORKz S35-5 Series Rear Sway Bar Set (2.4/2.5/2.6/2.7/2.8/3.0mm)(6PC)
SWC-228012	1/8 E-CVD/A-CVA Axil Holder (10PC)
SWC-330633S	SWORKz S35 BBS System SMC Shock Body L(+5.6mm)
SWC-330634S	SWORKz S35 BBS System SMC Shock Body S (+5mm)
SWC-338017	S35 Series T-6061AL Rear Hub Carry Insert (6mm)(2pc)
SWC-338071	S35 Series Advance-CVD Drive Axil(1PC)
SWC-338072	S35 Series Advance-CVD Drive Shaft (92.5mm)(1PC)
SWC-338073	S35 Series Evolution-CVA Drive Axil(1PC)
SWC-338074	S35 Series Evolution-CVA Drive Shaft (92.5mm)(1PC)
SWC-338076	S35 Series E-CVA/A-CVD Pin M2.5x14(2PC)
SWC-338077	S35-4 Series E-CVA/A-CVD Axil Join(2PC)
SWC-338102	S35 Series Pro-Titanium Pivot Ball Turnbuckle (2PC)
SWC-338103	SWORKz 1/8 Series Pro-Titanium Linkage Turnbuckle (M5x35mm)(2PC)
SWC-338104	SWORKz 1/8 Series Pro-Titanium Linkage Turnbuckle (M4x40mm)(2PC)
SWC-338105	SWORKz Pro-Titanium Linkage Turnbuckle (M3x30mm)(2PC)
SWC-338132	SWORKz S35-4e/T2e EVO Aluminum Steering Servo Mount
SWC-338133	SWORKz S35-4/e EVO Series Aluminum Steering Bellcrank Plate
SW-338142P	SWORKz S35-5 Series AL7075 Aluminum Pro Steering Plate (+10)
SW-338139-3.5	SWORKz S35-5 Series AL7075 Aluminum Rear Lower Fully Adjustable Toe-In Block(3.5 degree)(RR)(SBK)
SW-348018-H	SWORKz S35-5 Series Pro-composite Carbon Rear Wheel Hub Adjust Plate (Higher Extension)(2PC)
SW-339023-2.2	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.2mm)(2PC)
SW-339023-2.5	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.5mm)(2PC)
SW-339023-2.8	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(2.8mm)(2PC)
SW-339023-3.0	SWORKz S35-5/e/GT FTE Series Sway Bar Adjust Stud(3.0mm)(2PC)
SW-339008-2.8	S35-5/e/GT FTE Series Sway Bar Holder (2.8mm)(RD)(2PC)
SW-339008-2.2	SWORKz S35-GT FTE Series Sway Bar Holder (2.2mm)(RD)(2PC)
SW-118005-2.0	SWORKz S35-5 Series Front Sway Bar 2.0mm
SW-118005-2.1	SWORKz S35-5 Series Front Sway Bar 2.1mm
SW-118005-2.4	SWORKz S35-5 Series Front Sway Bar 2.4mm
SW-118005-2.5	SWORKz S35-5 Series Front Sway Bar 2.5mm
SW-118005-2.6	SWORKz S35-5 Series Front Sway Bar 2.6mm
SW-118005-2.7	SWORKz S35-5 Series Front Sway Bar 2.7mm
SW-118005-2.8	SWORKz S35-5 Series Front Sway Bar 2.8mm
SW-118006-2.4	SWORKz S35-5 Series Rear Sway Bar 2.4mm
SW-118006-2.5	SWORKz S35-5 Series Rear Sway Bar 2.5mm
SW-118006-2.7	SWORKz S35-5 Series Rear Sway Bar 2.7mm
SW-118006-3.0	SWORKz S35-5 Series Rear Sway Bar 3.0mm
SW-118007-4	SWORKz S35-5 Series Samurai Competition Front Shock Spring (SS-4Dot)(68X1.4X6.75)(2PC)
SW-118008-3	SWORKz S35-5 Series Samurai Competition Rear Shock Spring (SL-3Dot)(83X1.5X10.0)(2PC)
SWC-118003H24	SWORKz S35-4 EVO series Servo Saver Spring(Hard 2.4)
SWC-348014ASP	SWORKz Performance S35-4/5 Series Pro-composite Carbon Sideguard (Matte)(Set)
SWC- 118004SP	SWORKz Performance Competition Cooling Brake Disc Hold Spring (Soft) (4PC)
SWC- 105024SP	SWORKz Performance M3x6mm Conical Head Screw (4PC)
SWC-116006SP	SWORKz Performance Ceramics Ball Bearing 8x16x5mm (6PC)
SWC-116019SP	SWORKz Performance Ceramics Ball Bearing 5x13x4mmm (4PC)

S35-5e

1/8 Off Road Brushless Power Pro Buggy



SPEEDMASTER HOBBY CO., LTD.

TEL: +886-3-538-7638

FAX: +886-3-538-7328

No.89, Ln. 225, Xiangbei Rd., Xiangshan Dist.,
Hsinchu City 300066, Taiwan (R.O.C.)

www.sworkz.com

508027

Production No. 51260715-1